Your Complete Guide to IT and A/V Connectivity

Connectalog



Looking for an unusual connectivity part

No problem.

From legacy to the latest, StarTech.com has the connectivity parts you need.

StarTech.com

Hard-to-find made easy®

StarTech.com

Hard-to-find **made easy**®

StarTech.com's tech advisors and online resources help you quickly **identify, find and get** the connectivity parts you need.

With over 100 connector types available supporting technology from legacy to the latest, StarTech.com has the parts you need to enable your solutions.

We make parts that
Connect • Convert • Extend • Split • Switch

Ken Kalopsis
Founder/Vice-Chair

Paul Seed
Founder/President & CEO

Product Categories

A/V Solutions

DisplayPort® Converters 2-3
Audio-Video Converters 4-5
USB Video Adapters 6-7
Video Extenders 8-11
Video Splitters 12
Video Switchers 13

Cables & Accessories

Audio-Video Cables 14-15
Network Cables & Adapters 16
Serial Parallel PS/2 17
Structured Wiring 17
USB Cables & Adapters 18-19
Ultrabook 21
USB Dock Connector Cables for Apple 20
Drive Cables 22
Computer Power 23
FireWire Cables & Adapters 23

Add-on Cards & Peripherals

Serial Cards & Adapters 25
Parallel Cards & Adapters 25
USB 2.0 Cards, Hubs, Extenders 25
USB 3.0 Cards & USB 3.0 Hubs 26
Hard Drive Controller Cards 27
Slot Conversion & Extension 28
Laptop USB Docking Station 28
FireWire Cards 29
Sound Cards & Adapters 29

Networking I/O

SFP's (Transceivers) 30
Media Converters & Extenders 31
Over IP Ethernet Device Servers 31
Network Adapter Cards 32
Ethernet Switches 32
Wireless Network Adapters & Range Extenders 33
Modem, Bluetooth & Infrared Adapters 33
USB & PS/2 Devices 33
Network Print Servers 33

Server Management

KVM Switches 34-35
Server Racks / Cabinets 36-37
Server Rack Accessories 37
KVM Extenders 38
KVM Cables 38

Computer Parts

Power Supplies, Cooling & Accessories 39

Hard Drive Accessories

Hard Drive & USB Drive Duplicators 40
Hard Drive Docking Stations 41
External Hard Drive Enclosures 42
Drive Adapters & Converters 43
Mobile Racks & Hard Drive Backplanes 43
Media Card Readers & Adapters 44
Drive Mounting Brackets & Accessories 44

Connectors at a Glance 45

2013 Best Small and Medium Employers in Canada · 50 Best Managed Companies · Inc. 5000 Honoree · RoHS Compliant Available · ISO 9001 Registered Management System

StarTech.com's website makes **hard-to-find easy**

StarTech.com
ConXit Connection Wizard

ConXit Connection Wizard

This user-friendly tool makes it easy to find the right connectivity part in two steps.

"All day I solve problems. I find hardware for my customers, and most of that needs to be connected ConXit is an indispensible tool for helping me do just that. And quickly get on to the next problem."

-Andrew, IT Reseller for 17 years

Visit: www.startech.com/conxit

Drilldown Filters

Our website's convenient drilldown tool helps you quickly find the right part by selecting the features you need.



Product Information

StarTech.com's comprehensive product information ensures you can always find the right part for your solution.

Photos & "what's in the box"
Pricing & inventory
Hotlinks to Distributor & Reseller websites
Complete Tech Specs
Compatibility information

Product Comparisons

Creates the ability to compare selected products.

StarTech.com's Tech Advisors make **hard-to-find easy**

Live Support
Monday - Friday
5AM - 9PM ET

Our friendly and professional Tech Advisors make finding the right part even easier. They are available to help in three convenient ways:

Toll-free Phone: 1-800-265-1844
Live Chat at www.startech.com/chat
Email: advisors@startech.com

StarTech.com
Hard-to-find **made easy**®

DisplayPort® Converters

Our selection of DisplayPort® and Mini-DisplayPort® adapters offer a cost-effective solution to make use of existing monitors avoiding costly hardware upgrades.

- Offers high quality video connections for computer displays and audio/video equipment
- Bridges the compatibility gap between DisplayPort® and current standards (DVI, HDMI, VGA)

Legend — Looking for a certified product? Look for the logo → DisplayPort® Passive Multi-mode | DisplayPort® Active Single-mode | AMD Eyefinity

Passive Adapters

With DP++ multi-mode sources, you can use our passive adapters to connect to an HDMI, VGA or DVI display.

DisplayPort® to VGA Video Adapter
DP2VGA

DISPLAYPORT® TO VGA

Description	Feature	Part Number
DisplayPort® to VGA Video Adapter		DP2VGA
DisplayPort® to VGA Video Adapter Converter		DP2VGA2
6 ft DisplayPort® to VGA Cable - M/M	6' Cable	DP2VGAMM6

Connectors



Mini DisplayPort® to VGA Video Adapter
MDP2VGA

MINI DISPLAYPORT® TO VGA

Description	Feature	Part Number
Mini DisplayPort® to VGA Video Adapter Converter		MDP2VGA
6 ft Mini DisplayPort® to VGA Cable - M/M	6' Cable	MDP2VGAMM6
Mini DisplayPort® to VGA Adapter - White	Ideal for Mac Users	MDP2VGAW



DisplayPort® to DVI Video Adapter
DP2DVI

DISPLAYPORT® TO DVI

Description	Feature	Part Number
DisplayPort® to DVI Video Adapter Converter		DP2DVI
DisplayPort® to DVI Video Adapter Converter		DP2DVI2
DisplayPort® DVI Video Adapter Converter	Compact Adapter	DP2DVIADAP
6ft DisplayPort® to DVI Video Cable	6' Cable	DP2DVIMM6
10ft DisplayPort® to DVI Video Cable	10' Cable	DP2DVIMM10



Mini DisplayPort® to DVI Adapter - White
MDP2DVIW

MINI DISPLAYPORT® TO DVI

Description	Feature	Part Number
Mini DisplayPort® to DVI Video Adapter Converter		MDP2DVI
Mini DisplayPort® to DVI Adapter - White	Ideal for Mac Users	MDP2DVIW
6 ft Mini DisplayPort® to DVI Cable - M/M	6' Cable	MDP2DVIMM6
Mini DisplayPort® to DisplayPort® DVI HDMI®	Multifunction Adapter	MDP2DPDVHD



DisplayPort® to HDMI® Video Adapter
DP2HDMI

DISPLAYPORT® TO HDMI

Description	Feature	Part Number
DisplayPort® to HDMI® Video Adapter Converter		DP2HDMI
DisplayPort® to HDMI® Video Adapter Converter		DP2HDMI2
Mini DisplayPort® to HDMI® Adapter - White	Ideal for Mac Users	DP2HDW
DisplayPort® to HDMI® Adapter	Compact Adapter	DP2HDMIADAP
DisplayPort® to HDMI® Adapter with USB Audio	Audio through USB	DP2HDMIUSBA



Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Audio-Video products

Mini DisplayPort® to HDMI® Video Adapter
MDP2HDMI

MINI DISPLAYPORT® TO HDMI

Description	Feature	Part Number
Mini DisplayPort® to HDMI® Video Adapter		MDP2HDMI
Mini DisplayPort® to HDMI® Adapter - White	Ideal for Mac Users	MDP2HDW
Mini DisplayPort® to HDMI® with USB Audio	Audio through USB	MDP2HDMIUSBA

Connectors



DisplayPort® to Dual DVI Adapter
SP122DP2DVI

DISPLAYPORT® TO DVI DUAL MONITOR

Description	Feature	Part Number
DisplayPort® to Dual DVI Adapter	Expand 2 monitors to 3840x1200 or Mirror Image on second screen	SP122DP2DVI



DisplayPort® to Dual HDMI® Adapter
SP122DP2HD

DISPLAYPORT® TO HDMI DUAL MONITOR

Description	Feature	Part Number
DisplayPort® to Dual HDMI® Adapter	Expand 2 monitors to 3840x1200 or Mirror Image on second screen	SP122DP2HD



Active Adapters

With DP single-mode sources, you are required to use our active adapters to connect to an HDMI or DVI display.

DisplayPort® to DVI Active Adapter
DP2DVIS

ACTIVE DISPLAYPORT® TO DVI

Description	Feature	Part Number
DisplayPort® to DVI Active Adapter		DP2DVIS
DisplayPort® to DVI Dual Link Active Adapter	Dual Link Resolution	DP2DVID2

Connectors



DVI Active Adapter
MDP2DVIS

ACTIVE MINI DISPLAYPORT® TO DVI

Description	Feature	Part Number
Mini DisplayPort® to DVI Active Adapter		MDP2DVIS
Mini DisplayPort® to Dual Link DVI Adapter	Dual Link Resolution	MDP2DVID



DisplayPort® to HDMI® Active Adapter
DP2HDS

ACTIVE DISPLAYPORT® TO HDMI

Description	Feature	Part Number
DisplayPort® to HDMI® Active Adapter		DP2HDS
DisplayPort® to HDMI® Active Adapter - White		DP2HDSW



Mini DisplayPort® to HDMI® Active Adapter
MDP2HDS

ACTIVE MINI DISPLAYPORT® TO HDMI

Description	Feature	Part Number
Mini DisplayPort® to HDMI® Active Adapter		MDP2HDS
Mini DisplayPort® to HDMI® Active Adapter - White	Ideal for Mac Users	MDP2HDSW



StarTech.com university

To learn more about DisplayPort® technology please visit StarTech.com University & take our DisplayPort® course.

www.startech.com/university

StarTech.com
Hard-to-find made easy®

Audio-Video Converters

A vast selection of devices for converting video and audio signals to ensure compatibility with various monitors, displays and projectors.

HDMI TO VGA CONVERTERS

Description	Input Signal	Output Signal	Part Number
HDMI to VGA Adapter Converter	HDMI	VGA	HD2VGAE
Micro HDMI to VGA Adapter Converter	Micro HDMI	VGA	MCHD2VGAE
Mini HDMI to VGA Adapter Converter	Mini HDMI	VGA	MNHD2VGAE
HDMI® to VGA Adapter with Audio	HDMI	VGA + Audio	HD2VGAA
Micro HDMI® to VGA Adapter with Audio	Micro HDMI	VGA + Audio	MCHD2VGAA
HDMI® to VGA Video Converter with Audio	HDMI	VGA or Component + Audio	HDMI2VGA

HDMI to VGA Adapter Converter
HD2VGAE

HDMI VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
HDMI® to Composite Video Converter with Audio	HDMI	Composite + Audio	HD2VID
HDMI®/DVI to DisplayPort® Active Converter	HDMI	DisplayPort®	HDMI2DP

HDMI® to Composite Video Converter with Audio
HD2VID

VGA VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
Component / VGA to HDMI® Video Converter	VGA or Component + Audio	HDMI®	VGA2HD2
VGA to HDMI® Professional Video Converter with Scaler	VGA	HDMI®	VGA2HDMIPRO
VGA to S-Video or Composite High Resolution Video Converter	VGA	S-Video/Composite	VGA2VID
VGA to S-Video or Composite Video Converter with Remote Control	VGA	S-Video/Composite	VGA2NTSCPRO
2 Way High Resolution HDTV VGA Video Converter with Scaler	VGA/Component	Component/VGA	VGA2TV2WAY2

Professional VGA to HDMI® Audio Video Converter
VGA2HDMIPRO

DVI VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
DVI to DisplayPort® Adapter with Audio	DVI + Audio	DisplayPort®	DVI2DPA
DVI to Mini DisplayPort® Adapter with Audio	DVI + Audio	Mini DisplayPort®	DVI2MDPA
DVI to VGA Video Converter with Scaler	DVI-D	VGA	DVI2VGA
DVI to VGA Format Converter	DVI-D	VGA	DVI2VGACON
DVI to HDMI® Video Converter with Audio	DVI-D	HDMI®	DVI2HDMIA

DVI to DisplayPort® Adapter with Audio
DVI2DP

COMPONENT VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
Component to HDMI® Video Converter with Audio	Component	HDMI®	CPNTA2HDMI
Component to HDMI® Video Converter with Digital Audio	Component	HDMI®	CPNTTOS2HDMI
Component to VGA Video Converter with Audio	Component	VGA	CPNT2VGAA
2 Way VGA HDTV Video Converter with Scaler	Component/VGA	VGA/Component	VGA2TV2WAY2
VGA to HDMI® Video Converter	Component / VGA	HDMI	VGAHD2HDMI
Composite and S-Video to VGA Video Converter	Component (YCBCr)	VGA	VID2VGATV
Composite and S-Video to DVI Video Converter	Component (YCBCr)	DVI Digital	VID2DVIDTV

Component to VGA Video Converter with Audio
CPNT2VGAA

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Audio-Video products

MHL VIDEO CONVERTER

Description	Input Signal	Output Signal	Part Number
MHL™ Adapter – Micro USB to HDMI®	MHL (Micro USB)	HDMI	MHD2HDF
MHL™ Adapter – Micro USB to VGA with Audio	MHL (Micro USB)	VGA	MHD2VGA

MHL™ Adapter – Micro USB to HDMI®
MHD2HDF

S-VIDEO AND COMPOSITE VIDEO CONVERTERS

Description	Input Signal	Output Signal	Part Number
S-Video and Composite to VGA Video Converter	S-Video/Composite	VGA	COMP2VGA
Composite and S-Video to VGA Video Scan Converter	S-Video/Composite	VGA	VID2VGATV2
Composite and S-Video to HDMI® Converter with Audio	S-Video/Composite	HDMI®/DVI	VID2HDCON
Composite and S-Video to VGA Video Converter	Composite/S-Video	VGA	VID2VGATV
Composite and S-Video to DVI Video Converter	Composite/S-Video	DVI Digital	VID2DVIDTV

Composite and S-Video to HDMI® Converter
VID2HDCON

AUDIO CONVERTERS

Description	Input Signal	Output Signal	Part Number
Stereo RCA to SPDIF Digital Coaxial and Toslink Audio Converter	Analog Audio	TosLink/Digital Coaxial	AA2SPDIF
Two Way Digital Coax to Toslink Audio Converter Repeater	TosLink/Digital Coaxial	TosLink/Digital Coaxial	SPDIFCOAXTOS
SPDIF to Stereo RCA Audio Converter	TosLink/Digital Coaxial	Analog Audio	SPDIF2AA

SPDIF to Stereo RCA Audio Converter
SPDIF2AA

VIDEO CAPTURE CARDS / ADAPTERS

Description	Input Signal	Output Signal	Part Number
PCIe HDMI®, DVI, VGA, Component A/V Capture Card	HDMI/VGA/DVI/Component	N/A	PEXHDCAP
ExpressCard HDMI® Audio Video Capture Card - 1080p	HDMI	N/A	ECHDCAP
Video Capture Cable with Composite and S-Video Input	S-Video/Composite	N/A	SVID2USB2NS
Video Capture Cable with Composite and S-Video Input	S-Video/Composite + Audio	N/A	SVID2USB2
S-Video/Composite to USB Audio Video Capture Cable	S-Video/Composite + Audio	N/A	SVID2USB23

PCIe HDMI®, DVI, VGA, Component A/V Capture Card
PEXHDCAP

StarTech.com®
ConXit Connection Wizard

This user-friendly tool makes it easy to find the right connectivity part in two easy steps.

Visit: www.startech.com/conxit



StarTech.com
Hard-to-find **made easy**®

USB Video Adapters

A powerful line of high-resolution external graphics adapters using USB connectivity to add one or multiple displays to your laptop and desktop computer systems.

USB 3.0 External High Definition Video Adapters

"…solid and well performing solutions that the CRN Test Center recommends."

CRN

USB 3.0 HDMI®/DVI-I External Video Card
USB32HDDVII

Connect an HDMI® and DVI-I-equipped display through a USB 3.0 port, for a 1080p HD external multi-monitor solution

USB 3.0 to HDMI® / DVI External Video Card Multi Monitor Adapter – 1920x1080
USB32HDE

Connect an HDMI®-equipped display through USB 3.0 for an accelerated 1080p HD external multi-monitor solution.

USB 2.0 External Video Adapters - VGA / DVI

Good

USB2VGAE2 and USB2DVIE2

- Maximum resolution of 1680x1050
- For use with 17in to 19in monitors or smaller
- Ideal for office applications and internet browsing
- Use up to five adapters on one computer for more displays
- Supports Windows® XP, Vista, and 7 (32/64 bit) Windows® 8

Better

USB2DVIE3 and USB2VGAE3

- Maximum resolution of 1920x1200
- For use with 19in to 24in monitors
- Use up to five adapters on one computer for more displays
- Works with desktop and laptop computers
- Supports Windows® 7 (32/64 bit)/ Vista(32/64)/XP(32/64) Windows® 8

Best

USB2VGAPRO2 and USB2DVIPRO2

- Maximum resolution of 1920x1200
- For use with 24in to 26in monitors or smaller
- Ideal for multimedia applications and video playback
- Supports AERO desktop themes in Windows® Vista & 7
- Supports Windows® XP, Vista, and 7 (32/64 bit), Windows® 8 and Mac® OS 10.4.11 or higher

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Audio-Video products

Adding additional displays to a laptop is made easy with our USB Display Adapters. Whether it's a laptop or desktop, USB Display Adapters save you time from taking apart your computer or worrying about expansion.



Performance Applications

Best: Video Playback, Fullscreen HD (720p, 1080i)

Better: Internet Browsing, Flash, YouTube Fullscreen

Good: Word processing, spreadsheets, simple internet browsing

Looking for DisplayLink certified products? See chart below

DisplayLink Plug and Display™

USB TO VGA EXTERNAL VIDEO ADAPTERS

Max Resolution	Performance	DisplayLink	Mac OS Support	Additonal Feature	Part Number
1920x1200	Best (USB 3.0)			USB 3.0	USB32VGAE
1920x1200	Best (USB 3.0)			USB 3.0 with 1 Port Hub	USB32VGAEH
1920x1200	Best (USB 2.0)	●	●		USB2VGAPRO2
1920x1200	Better				USB2VGAE3
1680x1050	Good				USB2VGAE2

USB 3.0 to VGA External Video Card
USB32VGAE

USB TO DVI EXTERNAL VIDEO ADAPTERS

Max Resolution	Performance	DisplayLink	Mac OS Support	DVI to VGA Adapter	Additonal Feature	Part Number
2048x1152	Best (USB 3.0)	●	●	●	USB 3.0	USB32DVIPRO
1920x1200	Best (USB 3.0)			●	USB 3.0 with 1 Port Hub	USB32DVIEH
1920x1200	Best (USB 2.0)	●	●			USB2DVIPRO2
1920x1200	Better			●		USB2DVIE3
1680x1050	Good					USB2DVIE2

USB 3.0 to DVI External Video Card
USB32DVIPRO

USB TO HDMI EXTERNAL VIDEO ADAPTERS

Max Resolution	Performance	DisplayLink	Mac OS Support	HDMI to DVI Adapter	Additonal Feature	Part Number
1920x1200	Best (USB 3.0)			●	USB 3.0	USB32HDE
1920x1200	Best (USB 3.0)			●	USB 3.0 with 1 Port Hub	USB32HDEH
1920x1200	Better		●			USB2HDMI

USB 3.0 to HDMI® External Video Card
USB32HDE

USB TO HDMI AND DVI DUAL MONITOR EXTERNAL VIDEO ADAPTERS

Max Resolution	Performance	DisplayLink	Mac OS Support	HDMI to DVI Adapter	Part Number
1920x1200	Best (USB 3.0)	●	●	●	USB32HDDVII

USB 3.0 HDMI®/DVI-I External Video Card
USB32HDDVII

USB TO DISPLAYPORT® EXTERNAL VIDEO ADAPTERS

Max Resolution	Performance	DisplayLink	Mac OS Support	Part Number
2560x1600	Best (USB 3.0)	●	●	USB32DPPRO

USB 3.0 to DisplayPort® External Video Card
USB32DPPRO

StarTech.com
Hard-to-find made easy®

Video Extenders

Our wide range of Video Extenders includes products tailored to almost every display extension application. From easy to install wireless solutions, to advanced point-to-multipoint Cat5/Cat6 extenders, to very long range fiber optic extenders, we make it easy to create the perfect video connection at any distance.

Cat5/Cat6 Video Extenders

Benefits of Cat5/Cat6 solutions

- Use existing Ethernet infrastructure to extend your Video
- Extend any combination of HDMI, Ethernet, Power, Serial and IR with our all in one solutions
- Broadcast video without compromising image quality to a public display up to 1000ft away
- Point to point or point to multi point solutions
- Add more displays with our scalable solutions

Alternatives to Cat5/Cat6 Extenders

- Cable free extension with our Wireless extenders - See Page 10
- Extend over very long range (+1000ft) with our Fiber Optic Extenders - See Page 11
- Extend video in an EMI sensitive environment with our Fiber Optic Extenders - See Page 11

DVI/HDMI over CAT5 / CAT6

DVI/HDMI OVER CAT5 / CAT6

Signal	Max Resolution - Distance*	Cable Type	Mounting Option	Feature	Part Number
DVI	1920x1200 - 80ft / 25m	Cat6	No	Receiver does not require power	ST121DVI25
HDMI + IR	1920x1200 - 2600ft / 800m	Fiber	Yes	Fiber Extender	ST121HDFXA
HDMI + RS-232 + IR	1920x1200 - 330ft / 100m	Cat5 / Cat6	Yes	Single Cat5 / 6 cable	ST121UTPHD2
HDMI	1920x1200 - 80ft / 25m	Cat6	No	Receiver does not require power	ST121HD25
HDMI	1920x1080 - 100ft / 30m	Wireless	Stand	WHDI Standard - See Feature Product!	ST121WHD

HDMI® over Cat5 Video Extender with RS-232 and IR Control
ST121UTPHD2
Extend an HDMI® video and audio over standard CAT5 cabling, with support for RS-232 Serial and Infrared control.

HDMI Extender

Extend 1080p HDMI over Cat5 cabling up to 80m/260 ft. along with RS-232 and IR signals.



LEGACY VIDEO OVER CAT5/ CAT6

Signal	Max Resolution - Distance*	Cable Type	Mounting Option	Feature	Part Number
Composite + Audio	480i - 660ft / 200m	Cat5 / Cat6	Yes	Power free	COMPUTPEXTA
S-Video + Audio	480i - 660ft / 200m	Cat5 / Cat6	Yes	Power free	SVIDUTPEXTA

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Audio-Video products

VGA over CAT5 / CAT6 Extenders

POINT-TO-POINT EXTENDERS - VGA

Signal	Max Resolution - Distance*	Cable Type	Mounting Option	Feature	Part Number
VGA	1920x1200 - 150ft / 50m	Cat5 / Cat6	Yes	Receiver does not require power	ST121UTPEP
VGA	1440x900 - 150ft / 50m	Cat5 / Cat6	Yes	Built in splitter for two monitors	ST121UTP
VGA + Audio	1440x900 - 150ft / 50m	Cat5 / Cat6	Yes	Built in splitter for two monitors	ST122UTPA
VGA + Audio	1920x1080 - 950ft / 300m	Cat5 / Cat6	Yes	RGB SKEW calibration, image clarity	ST122UTPAL
VGA + RS-232	1600x1200 - 950ft / 300m	Cat5 / Cat6	No	RS-232 built-in	ST121UTP232

UTPE/UTPEA Series

The UTPEA Series offers point to multi-point 4 and 8 port extenders with the option of using a repeater/line splitter (STUTPEA4X) to run up to 32 displays (see solution diagram).

Max Resolution and Distance

1024x768	300m/950ft
1280x1024	200m/600ft
1600x1200	100m/300ft
1920x1200	50m/150ft

UTPEA WITH AUDIO SERIES

Description	Part Number
4 Port VGA Video Extender over Cat 5	ST124UTPEA
8 Port VGA Video Extender over Cat 5	ST128UTPEA
VGA Video Receiver over Cat 5	STUTPEALR
4 Port VGA Video Line Splitter over Cat 5	STUTPEA4X

Application with UTPEA Series



ST121 Series

The ST121 Series offers point to point (one Cat 5 cable) or point to multi-point for larger installations. Use a repeater (ST121EXT) to drop signals up to 32 displays along your path.

Max Resolution and Distance

1280x1024	150m/600ft
1600x1200	100m/300ft
1920x1200	50m/150ft

ST121 SERIES

Description	Part Number
4 Port VGA Video Extender over Cat 5	ST1214T
8 Port VGA Video Extender over Cat 5	ST1218T
VGA Video Receiver over Cat 5	ST121R
VGA Video Repeater/Extender over Cat 5	ST121EXT

Application with ST121 Series



StarTech.com
Hard-to-find made easy®

Wireless Video Extenders

Wireless Video Extenders

Wireless video extension allows for a high-definition video source to be connected to a display or projector from up to 90 ft with our hardware based solutions or up to 180 ft away with our software based solutions. Wireless video extenders offer a reliable video solution for boardrooms, classrooms, community centers, homes or any setting where expensive bulky cabling is undesirable.

Benefits of wireless video extension

- Saves the time and expense of running cables
- Connects through walls without cabling infrastructure
- Easy clean installation

Alternatives to wireless solutions

- Extend video over long ranges with our Cat5/Cat6 or Fiber Optic Extenders - See Page 8,11
- Extend video with the highest possibble quality using our Cat5/Cat6 or Fiber Optic Extenders- See Page 8,11
- Extend video in an EMI sensitive environment with our Fiber Optic Extenders - See Page 11

Software Based Wireless Video Extenders

Software based solutions let you connect a display to a local portal, such as a wireless network or WiDi adapter.

Benefits of software based wireless

- Only requires external hardware on the display side
- Quickly connect to any display that has the hardware installed
- Easily pair with portable devices

Alternatives to software based wireless

- If software installation is not an option, extend video wirelessly with our hardware based solutions - See Page 10

WiFi to VGA Wireless Video Extender
WIFI2VGA
Connect a laptop or desktop computer to a VGA television, projector or monitor using a WiFi network.



Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Hardware Based Wireless Video Extenders

Hardware based solutions offer an end-to-end solution allowing you to wirelessly extend a video source using existing device connectivity.

Benefits of Hardware based Wireless

- Operates without software
- Works independently from the operating system
- Not dependent on device support

Alternatives to Hardware based Wireless

- Extend video wirelessly without additional hardware on the device side with our software based solutions - See Page 10

"lets users wirelessly transmit 1080p video and 7.1 digital audio from an HDMI source device to an HD display or projector up to 100 feet away."
TWICE



1 Port High Speed HDMI Wireless Extender
ST121WHD
Wirelessly extend a single HD audio/video signal up to 30m (100ft).

Fiber Optic Video Extenders

Video over fiber is a long range video solution that allows for a high-definition video source to be connected to a display from up to 800 meters away using fiber optic cables.

Benefits of fiber optic solutions

- Extremely long range video extension
- Does not cause EMI
- Cannot be affected by EMI

Alternatives to fiber optic solitions

- Use existing Ethernet infrastructure to extend your Video - See Page 8
- Cable free video extension with our Wireless extenders - See Page 10



HDMI® over Fiber Video Extender with IR
ST121HDFXA
Extend HDMI video and audio over SC Multi Mode fiber, with Infrared control.

Scan to see our full selection of Audio-Video products

StarTech.com
Hard-to-find made easy®

Video Splitters

A full range of products to amplify and distribute a single source to multiple monitors, projectors or HDTV displays.

VGA Splitters

The right splitter to meet the demanding needs of any application.

4 Port Wall Mount VGA Video Splitter
ST124W

4 Port VGA Video Splitter - 250 MHz
ST124L

8 Port High Resolution VGA Video Splitter - 300 MHz
ST128PRO

WALL MOUNTABLE VGA SPLITTERS - W SERIES

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1600x1200	ST122W
4 Ports	250MHz	200ft/60m	1600x1200	ST124W
8 Ports	250MHz	200ft/60m	1600x1200	ST128W

PERFORMANCE VGA SPLITTERS - L SERIES

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	250MHz	200ft/60m	1920x1440	ST122L
4 Ports	250MHz	200ft/60m	1920x1440	ST124L
8 Ports	250MHz	200ft/60m	1920x1440	ST128L

PROFESSIONAL VGA SPLITTERS

# of Ports	Bandwidth	Distance	Resolution	Part Number
2 Ports	350MHz	200ft/60m	2048x1536	ST122PRO
4 Ports	350MHz	200ft/60m	2048x1536	ST124PRO
8 Ports	350MHz	200ft/60m	2048x1536	ST128PRO
2 Ports	350MHz	200ft/60m	2048x1536	ST122PROA

DVI Video Splitters

Our 2 and 4 port DVI splitters offer DVI digital or analog support along with stereo distribution.

4 Port DVI Video Splitter with Audio
ST124DVIA

DVI VIDEO SPLITTERS

# of Ports	Stereo Audio	Distance	Resolution	Part Number
2 Ports	2 Channel	30ft/10m	1920x1200	ST122DVIA
4 Ports	2 Channel	30ft/10m	1920x1200	ST124DVIA

HDMI Splitters

HDMI splitters to distribute HD content with HDCP support.

2 Port HDMI Video Splitter and Signal Amplifier
ST122HDMILE

HDMI VIDEO SPLITTERS

# of Ports	Audio	Resolution	Part Number
2 Ports	Yes	1080p	ST122HDMILE
2 Ports	Yes	1080p	ST122HDMI2
4 Ports	Yes	1080p	ST124HDMI2
8 Ports	Yes	1080p	ST128HDMI2

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

USB Powered Splitters

2 Port VGA Video Splitter - 300 MHz
ST122LE

This two Port VGA Video Splitter allows a computer to display VGA video on two monitors simultaneously.

Also Available ST122LEA - with audio

2 Port HDMI® Video Splitter with Audio - USB Powered
ST122HDMILE

This 2-Port HDMI® Video Splitter with Audio lets you share a single high definition video and audio source between two HDMI or DVI (with HDMI to DVI cable) displays.

How they work:



Scan to see our full selection of Audio-Video products

Video Switchers

Our versatile A/V switch products provide flexible solutions for sharing one or more displays with multiple A/V sources quickly and easily.

2 Port VGA Auto Switch
ST122VGAU

4 Port HDMI® Switch
VS410HDMIE

4x4 VGA Matrix Switch with Audio
ST424MX

2x4 Port DVI Matrix Audio Video Switch
VS420RDVIA

VGA SWITCHERS

# of Ports	Distance	Resolution	Other Features	Part Number
2 Ports	150ft/45m	1920x1440	Auto Switch	ST122VGAU
4 Ports	150ft/45m	1920x1200	RS-232 and Audio	VS410RVGAA

HDMI SWITCHERS

# of Ports	Distance	Resolution	Other Features	Part Number
2 Ports	15ft/5m	1080p	Auto Switch	VS122HDMIU
4 Ports	15ft/5m	1080p	Audio	VS410HDMIE

VGA MATRIX SWITCHERS

# of Ports	Distance	Resolution	Other Features	Part Number
2x2 Ports	150ft/45m	1920x1200		ST222MX
2x2 Ports	150ft/45m	1920x1200	Audio	ST222MXA
2x4 Ports	150ft/45m	1920x1200		ST224MX
2x8 Ports	150ft/45m	1920x1200		ST228MX
4x4 Ports	150ft/45m	1920x1200	Audio	ST424MX

DVI AND HDMI MATRIX SWITCHERS

# of Ports	Distance	Resolution	Other Features	Part Number
2x4 Ports	30ft/10m	1920x1200	Audio	VS420RDVIA
4x4 Ports	15ft/5m	1080p	Audio/RS-232	VS440HDMI

How the 4 Port VGA Video and Audio Switch with RS-232 works:



2 Port VGA Auto Switch
ST122VGAU

Lets you share a display between two computers and prioritize your VGA signals. The VGA switch features a primary and secondary VGA input port, and automatically outputs the signal from the primary input.

4-to-1 HDMI 1.3 Video Switch with Remote Control
VS410HDMIE

Connect up to four HDMI 1.3 output devices to a single HDMI input - eliminating the need to manually exchange cables to switch between high definition audio video sources.

4 Port VGA Video Audio Switch with RS-232 control
VS410RVGAA

Lets you switch between four separate VGA signals, as well as the corresponding audio, for output to a single display or projector.

StarTech.com
Hard-to-find made easy®

Audio Video Cables

We offer cables that support virtually any video format making it easy to source the right cable.

6ft HDMI Digital Video Cable M/M
HDMIMM6

HDMI CABLES

x = Length

Lengths	Type	Part Number
1, 3, 6,10,15, 20, 25, 30, 35, 40, 45, 45, 50ft	HDMI to HDMI	HDMIMMxx/HDMMxx
80ft	HDMI to HDMI - Active	HDMIMM80AC
1, 3, 6ft	HDMI to HDMI Mini	HDMIACMMx
3, 6ft	HDMI to HDMI Mini Slim with Ethernet	HDMIACMMxS
3, 6ft	HDMI to HDMI Micro	HDMIADMMx
4ft	HDMI to HDMI Micro Retractable	HDADRET4
3, 6, 10, 15, 20ft	HDMI to HDMI with Ethernet	HDMIMMxxHS
3, 6, 10, 15, 25ft	HDMI to HDMI Flat	HDMIMMxxFL
3, 6ft	HDMI to HDMI Slim with Ethernet	HDMIMMxHSS
6, 10, 15, 20, 30, 50ft	HDMI to DVI-D	HDMIDVIMMxx

6ft Coax High Resolution VGA Monitor Cable
MXT101MMHQ

SVGA CABLES

x = Length

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 35, 50, 55, 60, 65, 70, 75, 100ft	Coax High Resolution SVGA Monitor	MXT101MMHQxx
3, 6, 10, 15, 25, 35, 50, 75, 100, 150, 200ft	Coax High Resolution SVGA Monitor Extension	MXT101HQxx
6, 10, 15ft	Super Thin Profile SVGA Monitor	MXT101MMLPxx
6, 10, 15ft	Super Thin Profile SVGA Monitor Extension	MXT101LPxx
6, 10, 15ft	Up Angled Coax High Resolution SVGA Monitor	MXT101MMHUxx
6, 10, 15ft	Down Angled Coax High Resolution SVGA Monitor	MXT101MMHDxx
6, 15, 25, 30, 35, 50 ft	Coax High Resolution Monitor VGA Cable with Audio	MXTHQMMxxA

DVI-D Dual Link Cable - M/M
DVIDDMM10

DVI CABLES

x = Length

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 40, 50ft	DVI-D Dual Link	DVIDDMMxx
6, 10, 15ft	DVI-D Dual Link Extension	DVIDDMFxx
6, 10, 15, 20ft	DVI-I Dual Link	DVIIDMMxx
6, 10ft	DVI-I Dual Link Extension	DVIIDMFxx
3, 6, 10, 15ft	DVI to Coax High Resolution SVGA Monitor Cable	DVIVGAMMxx
1ft	DVI Splitter Cable - DVI to 2 x DVI	DVISPL1DD
1ft	DVI Splitter Cable - DVI to DVI + HDMI	DVISPL1DH
1ft	DVI Splitter Cable - DVI to 2 x VGA	DVISPL1VV
6ft	Up Angled DVI-D Dual Link	DVIDDMMTA6
6ft	Down Angled DVI-D Dual Link	DVIDDMMBA6

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Cables

ADAPTERS

x = Length

Type	Part Number
DVI to VGA Adapter M/F (Beige/Black)	DVIVGAMF / DVIVGAMFBK
DVI to VGA Adapter F/M (Beige/Black)	DVIVGAFM / DVIVGAFMBK
DVI-I Female to DVI-I Female Adapter	GCDVIIFF
HDMI to DVI Adapter F/M	HDMIDVIFM
HDMI to DVI Adapter M/F	HDMIDVIMF
Mini DVI to DVI Video Cable Adapter for Mac®	MDVIDVIMF
Mini DVI to HDMI Video Cable Adapter for Mac®	MDVIHDMIMF
Mini DVI to VGA Video Cable Adapter for Mac®	MDVIVGAMF
DVI-I to DVI-D Dual Link Video Cable Adapter F/M	DVIIDVIDFM
HDMI to HDMI Mini Cable Adapter - F/M	HDMIACFM
HDMI to HDMI Micro HDMI Cable Adapter - F/M	HDADRET4

DVI to VGA Cable Adapter - M/F
DVIVGAMF

DISPLAYPORT® CABLES

x = Length

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25, 30, 35, 50ft	DisplayPort® Cable with Latches - M/M	DISPLPORTxxL

MINI DISPLAYPORT® CABLES

x = Length

Lengths	Type	Part Number
3, 6ft	Mini DisplayPort® Cable - M/M	MDISPLPORTx
3, 6, 10ft	Mini DisplayPort® to DisplayPort® Adapter Cable - M/M	MDP2DPMMxx

DISPLAYPORT® EXTENSION CABLES

Lengths	Type	Part Number
6in	DisplayPort® Extension	DPEXTAA6IN
6ft	DisplayPort® Extension	DPEXT6L

DISPLAYPORT® PANEL MOUNT CABLES

Lengths	Type	Part Number
3ft	DisplayPort® Panel Mount Cable - F/M	DPPNLFM3
3ft	DisplayPort® Panel Mount Cable with Power	DPPNLFM3PW

DISPLAYPORT® ADAPTERS

Lengths	Part Number
DisplayPort® Gender Changer - F/F	GCDPFF
DisplayPort® Gender Changer - M/M	GCDPMM
6in DisplayPort® to Mini DisplayPort® Video Cable Adapter - M/F	DP2MDPMF6IN
Mini DisplayPort® to DisplayPort® Adapter Converter - M/F	GCMDP2DPMF
6in Mini DisplayPort® to DisplayPort® Video Cable Adapter - M/F	MDP2DPMF6IN

AUDIO CABLES

x = Length

Lengths	Type	Part Number
	3.5mm 4 Position to 2x 3 Position 3.5mm Headset Splitter Adapter - M/F	MUYHSMFF
	3.5mm 4 Position to 2x 3 Position 3.5mm Headset Splitter Adapter - F/M	MUYHSFMM
3, 6 10 ft	Toslink Digital Optical SPDIF Audio Cable	THINTOSx
3, 6, 10, 15 ft	Slim 3.5mm Stereo Audio Cable - M/M	MUxMMS
1, 3, 6 ft	Slim 3.5mm Right Angle Stereo Audio Cable - M/M	MUxMMS2RA
1, 3 ft	Slim 3.5mm to Right Angle Stereo Audio Cable - M/M	MuxMMSRA
1 m	Slim 3.5mm Stereo Extension Audio Cable - M/F	MU1MMFS

6ft DisplayPort® Cable with Latches - M/M
DISPLPORT6L

3ft DisplayPort® Panel Mount Cable - F/M
DPPNLFM3

Mini DisplayPort® to DisplayPort® Adapter
GCMDP2DPMF

3.5mm Headphone / Microphone splitter
MUYHSMFF

StarTech.com
Hard-to-find made easy®

Network Cables & Adapters

A wide selection of Cat 5e, Cat 6 and Cat 6a patch cables, crossover cables, adapters, and bulk LAN wire - available in all lengths and colors.

Lifetime Warranty

Cat 5e Patch Cables

Individually tested to comply with Cat 5e specifications, our 24 gauge copper Patch Cables deliver reliable and error free performance.

Molded Cat 5e Patch Cables

M45PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft, 10ft, 15ft, 20ft, 25ft, 35ft, 50ft, 75ft, 100ft

Available colors:

Red, Green, Blue, Orange, Gray, Black, Purple, Yellow, White

Snagless Cat 5e Patch Cables

RJ45PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft, 10ft, 15ft, 20ft, 25ft, 35ft, 50ft, 75ft, 100ft

Available colors:

Red, Green, Blue, Orange, Gray, Black, Purple, Yellow, White

Cat 6 Patch Cables

Our ETL verified Cat 6 Patch Cables are made from 24 gauge copper to deliver high speed networking and meet the demands of power over ethernet technology.

Molded Cat 6 Patch Cables

C6PATCHxx

Available lengths:

1ft, 2ft, 3ft, 5ft, 6ft, 7ft, 8ft,10ft, 12ft, 15ft, 20ft, 25ft, 35ft, 50ft, 100ft

Available colors:

Red, Gray, Black, Orange, Yellow, White, Green, Blue

Snagless Cat 6 Patch Cables

N6PATCHxx

Available lengths:

7ft, 10ft, 15ft, 25ft, 35ft, 50ft, 75ft, 100ft

Available colors:

Red, Green, Blue, Orange, Gray, Black, Purple, Yellow, White

**Cat 5e and Cat 6 wire is also available in Solid and Stranded bulk 1000ft Rolls in all colors*

Patch Cables Made Easy!

Use our "Cables at a Glance" tool to quickly find the right patch cable for the job.

Visit: www.startech.com/toolsguides

Talk to a Tech Advisor

PHONE

1-800-265-1844

LIVE CHAT

www.startech.com/chat

Scan to see our full selection of Cables

Serial Parallel PS/2 & Structured Wiring

We offer a wide selection of serial, parallel and adapter cables that are ideally suited to specialized applications, as well as cables and adapters for legacy PS/2 peripherals. Your server room needs are met by a range of patch panel, wall plates, jacks and connectors.

RS422 RS485 DB9 to Terminal Block Adapter
DB92422

Straight Through Serial Cable - DB9 F/F
MXT100FF

Smart UPS Replacement USB Cable AP9827
USBUPS06

Motherboard Header Slot Plate Adapter
PLATE9MHD

SERIAL/PARALLEL CABLES

x = Length

Lengths	Type	Part Number
10, 25ft	DB9 RS232 Serial Null Modem Cable F/F	SCNM9FFxx
10ft	DB9 RS232 Serial Null Modem Cable F/M	SCNM9FM
10ft	Cross Wired DB9 to DB25 Serial Null Modem Cable - F/M	SCNM925FM
10ft	Cross Wired DB9 to DB25 Serial Null Modem Cable - M/F	SCNM925MF
	RS422 RS485 Serial DB9 to Terminal Block Adapter	DB92422
6, 10, 25ft	Straight Through Serial Cable - DB9 M/F	MXT100xx
6ft	Straight Through Serial Cable - DB9 M/M	MXT100MM
6ft	Straight Through Serial Cable - DB9 F/F	MXT100FF
6, 10ft	DB25 to Centronics 36 Parallel Printer Cable - M/M	PBxx
20ft	20 ft DB25 to Centronics 36 Parallel Printer Cable - M/M	PC20
20ft	20 ft IEEE 1284 DB25 to Centronics 36 Parallel Printer Cable A to B	PC20_1284

UPS CABLES

Lengths	Type	Part Number
6ft	Smart UPS Replacement USB Cable AP9827	USBUPS06
15ft	Smart UPS Serial Cable - DB9 M/F	SMARTUPS15
6ft	Simple Signaling Serial UPS Cable AP9823	SIMPLEUPS06

PS/2 CABLES

x = Length

Lengths	Type	Part Number
6, 10, 15, 50ft	PS/2 Keyboard or Mouse Extension Cable - M/F	KXT102xx
6, 15, 25ft	PS/2 Keyboard or Mouse Cable - M/M	KXT102MMxx

SLOT PLATE ADAPTERS

Lengths	Type	Part Number
16in	9 Pin Serial Male to 10 Pin Motherboard Header Slot Plate	PLATE9M16
9in	9 Pin Serial Male to 10 Pin Motherboard Header Slot Plate Adapter	PLATE9M
9in	9 Pin Serial Male to 10 Pin IDC Motherboard Header Slot Plate Adapter	PLATE9MHD
9in	9 Pin Serial Male to 10 Pin Motherboard Header LP Slot Plate	PLATE9MLP
9in	9 Pin Serial Male to 10 Pin IDC Header Low Profile Slot Plate Adapter	PLATE9MHDLP
8in	DB25 Parallel Female to IDC 25 Pin Header Slot Plate	PLATE25FB

NETWORK TOOLS

Type	Part Number
Professional RJ45 Network Installer Tool Kit with Carrying Case	CTK400LAN
Professional RJ45 Network Cable Tester with 4 Remote Loopback Plugs	LANTESTPRO
Professional Multi Function RJ45 RJ11 USB and BNC Cable Tester	REMOTETEST
RJ45 RJ11 Crimp Tool with Cable Stripper	RJ4511TOOL
Punch Down Tool with 110 and 66 Blades	110PUNCHTOOL

PATCH PANELS

Type	Part Number
1U Rackmount Cat 6 110 Patch Panel - 45 Degree - 12/24 Port	C6PANL4512/24
1U Rackmount Cat5e 110 Patch Panel - 45 Degree - 12/24 Port	PANEL4512/24
48 Port 2U Rackmount Cat5e 110 Patch Panel - 45 Degree	PANEL4548
24 Port 0.5U Cat5e Patch Panel - RJ45 Ethernet Rackmount Cat 5e 110 Patch Panel	PANELHU24

WALL PLATES

Type	Part Number
Single Outlet 15-Pin Female VGA Wall Plate - White	VGAPLATE
15-Pin Female VGA Wall Plate with 3.5mm and RCA - White	VGAPLATERCA
Single Outlet Female HDMI® Wall Plate White	HDMIPLATE
Single / Dual Outlet RJ45 Universal Wall Plate - White	PLATE1WH/PLATE2WH

KEYSTONE JACKS

Type	Part Number
Cat 6 RJ45 Keystone Jack Blue/White - 110 Type	C6KEY110BL/WH
110 Punch Type Category 6 Keystone Jack - Red	C6KEY110RD
Cat5e Modular Keystone Jack Blue/White/Red - Tool-Less	KEYSTONE2BL/WH/RD

StarTech.com
Hard-to-find made easy®

USB Cables & Adapters

Our fully compliant USB cables deliver fast and reliable data transfers for both computer-based and mobile applications.

USB 3.0 CABLES

x = Length

Lengths	Type	Color	Part Number
6ft	A to A - Extension	Blue	USB3SEXTAA6
5ft	A to A - Desktop Extension	Blue	USB3SEXT5DSK
1, 3, 6, 10ft	A to B	Blue	USB3SABx
3, 6, 10ft	A to B	Black	USB3SABxBK
1, 3ft	A to Micro B	Blue	USB3SAUBx
3ft	A to Micro B	Black	USB3SAUB3BK
3, 5, 10 m	USB 3.0 Active Extension Cable - M/F	Black	USB3AAEXTxM

Black SuperSpeed USB 3.0 Cable A to Micro B
USB3SAUB3BK

ACTIVE USB 2.0 CABLES

x = Length

Lengths	Type	Part Number
30 ft	Active USB 2.0 A to B Cable - M/M	USB2HAB30AC
16 ft	USB 2.0 Active Extension Cable - M/F	USB2FAAEXT15
10, 20, 35 m	USB 2.0 Active Extension Cable - M/F	USB2AAEXTxxM

30ft USB 2.0 A to B Cable - M/M
USB2HAB30AC

MICRO USB 2.0 CABLES

x = Length

Lengths	Type	Color	Part Number
1, 3, 6, 10ft	Micro USB Cable - A to Micro B	Black	UUSBHAUBx
6in	Micro USB Cable - A to Micro B	Black	UUSBHAUB6IN
1, 3, 6ft	Micro USB Cable - A to Micro B - Left Angled	Black	UUSBHAUBxLA
1, 3, 6ft	Micro USB Cable - A to Micro B - Right Angled	Black	UUSBHAUBxRA
3ft	A to Mini B / Micro B Combo Cable	Black	USBHAUBMB3

1ft Micro USB Cable - A to Micro B
UUSBHAUB1

MICRO USB 2.0 ADAPTERS

Type	Color	Part Number
Micro USB to Mini USB Adapter F/M	Black	UUSBMUSBFM
Micro USB to Mini USB 2.0 Adapter M/F	Black	UUSBMUSBMF
Micro USB to USB B Adapter M/F	Black	UUSBUSBBMF
USB A to Micro USB B Cable Adapter - Male to Male	Black	GCUSBAMBM

Micro USB to Mini USB Adapter F/M
UUSBMUSBFM

MICRO USB 2.0 Y-CABLES (FOR EXTERNAL STORAGE DEVICES)

x = Length

Lengths	Type	Color	Part Number
1, 3, 6ft	A to Micro B	Black	USB2HAUBYx

USB Y Cable - Dual USB A to Micro B
USB2HAUBYx

USB 2.0 CABLES

x = Length

Lengths	Type	Color	Part Number
1, 3, 6, 10, 15ft	USB 2.0 Cable - A to B	Black	USB2HABxx
6, 10, 15ft	USB 2.0 Cable - A to B	Transparent	USB2HABxxT
3, 6, 10, 15ft	USB 2.0 Cable - A to B	Beige	USBFAB_xx
3, 6, 10, 15ft	USB 2.0 Cable - A to B	Transparent	USBFABxxT
6ft	USB 2.0 Cable - A to A	Beige	USBFAA_6
3ft	USB 2.0 Cable - A to A - Right Angled	Black	USB2HAB2RA3
3ft	USB to Type M Barrel 5V DC Power Cable	Black	USB2TYPEM
6in	USB 2.0 Cable - USB A Female to USB Motherboard 4 Pin Header F/F	Black	USBMBADAPT
	2 Port USB Motherboard Header Adapter		USBMBADAPT2

A Right Angle to B Right Angle USB Cable
USB2HAB2RA3

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Cables

USB 2.0 EXTENSION CABLES

x = Length

Lengths	Type	Color	Part Number
6, 10ft	USB 2.0 Cable - A to A - M/F	Beige	USBEXTAAx
3, 6, 10ft	USB 2.0 Cable - A to A - M/F	Black	USBEXTAAxxBK
6in	USB 2.0 Cable - A to A - M/F	Black	USBEXTAA6IN
5ft	A to A - Desktop Extension	Black	USBEXTAA5DSK

5ft Desktop USB Extension Cable - M/F
USBEXTAA5DSK

PANEL MOUNT USB

Lengths	Type	Color	Part Number
1ft	Panel Mount USB Cable A to A - F/M	Black	USBPNLAFAM1
1ft	Panel Mount USB Cable - USB A to Motherboard Header Cable F/F	Black	USBPNLAFHD1
1ft	Panel Mount USB Cable B to B - F/M	Black	USBPNLBFBM1
18in	USB IDC Motherboard Header Extension	Black	USBINT5PINMF
	2 Port USB A Female Slot Plate Adapter	Gray	USBPLATE
	4 Port USB A Female Slot Plate Adapter	Gray	USBPLATE4
	2 Port USB A Female Low Profile Slot Plate Adapter	Gray	USBPLATELP

1ft Panel Mount USB Cable A to A - F/M
USBPNLAFAM1

MINI USB 2.0 CABLES

x = Length

Lengths	Type	Color	Part Number
1, 3, 6, 10ft	Mini USB 2.0 Cable - A to Mini B - 5 pin	Gray	USB2HABMx
6in	Mini USB 2.0 Cable - A to Mini B - 5 pin	Gray	USB2HABM6IN
3, 6, 10ft	Mini USB 2.0 Cable - A to Mini B - 4 pin	Black	USBFA4Sxx

1ft Mini USB 2.0 Cable - A to Mini B
USB2HABM1

MINI USB 2.0 Y-CABLES (FOR EXTERNAL STORAGE DEVICES)

x = Length

Lengths	Type	Color	Part Number
1, 3, 6ft	Mini USB 2.0 Cable - A to Mini B - 5 pin - Y Cable	Black	USB2HABMYx

1ft USB Y Cable for External Hard Drive - USB A to mini B
USB2HABMY1

USB ADAPTERS

x = Length

Type	Color	Part Number
Replacement USB to PS/2 Keyboard Adapter F/M	Purple	GC46FMKEY
Replacement PS/2 to USB Keyboard Adapter M/F	Purple	GC46MFKEY
Replacement PS/2 Mouse to USB Adapter - F/M	Beige	GC46MF
Replacement USB to PS2 Mouse Adapter	Green	GC46FM
USB A to USB B Cable Adapter - F/F	White	GCUSBAFBF
Gender Changer USB A to USB A - F/F	White	GCUSBAAFF
Gender Changer USB A to USB A - M/M	White	GCUSBAAMM
Adapter USB A to USB B - F/F	White	GCUSBABFM
Adapter USB A to USB B - M/F	Beige	GCUSBBBMM
Gender Changer USB B Male to USB B Male	White	GCUSBABMF
USB A to Micro USB B Cable Adapter - M/M	Black	GCUSBAMBM
USB B to USB B Cable Adapter - M/M	Black	GCUSBBBMM
Mini USB to USB B Adapter - M/F	Black	MUSBUSBBMF
4 Port USB Connector Backplate	Gray	USBPLATE4
2 Port Low Profile Connector Backplate	Gray	USBPLATELP

2 Port USB A Female Low Profile Slot Plate Adapter
USBPLATELP

StarTech.com
Hard-to-find made easy®

USB Dock Connector Cables for Apple®

Our complete selection of USB to Dock Connector cables makes it easy to charge or sync your mobile device in all situations. We offer a wide variety of unique cables in a variety of lengths, including angled cables, to suit any application perfectly.

Reduce Clutter
with short cables

Charge while staying connected
with extra long cables

Have the right cable for every charge/sync situation
with angled connectors

Available Q2 2013

Lightning Connector

Cables available in classic black or Apple white

APPLE® LIGHTNING CONNECTOR TO USB CABLES FOR IPOD/IPHONE/IPAD

Length	Dock Connector	USB Connector	Color	Part Number
0.3m/1ft	Straight - Apple Lightning Connector	Male USB A	White	USBLT30CMW
0.3m/1ft	Straight - Apple Lightning Connector	Male USB A	Black	USBLT30CMB
1m/3.3ft	Straight - Apple Lightning Connector	Male USB A	White	USBLT1MW
1m/3.3ft	Straight - Apple Lightning Connector	Male USB A	Black	USBLT1MB

APPLE® 30-PIN DOCK CONNECTOR TO USB CABLE FOR IPHONE/IPOD/ IPAD

Length	Dock Connector	USB Connector	Color	Part Number
0.65m/2ft	Straight - Apple (30-pin) Dock Connector / Micro USB B	Straight - Male USB A	Black	USB2UBADC1M
1m/3.3ft	Straight - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC1M
3m/9.8ft	Straight - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC3M
1m/3.3ft	Straight - Apple (30-pin) Dock Connector	Straight - Male USB A	Black	USB2ADC1MB
0.5m/20in	Right Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC50CMR
0.5m/20in	Left Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC50CML
1m/3.3ft	Right Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC1MR
1m/3.3ft	Left Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC1ML
2m/6.6ft	Right Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC2MR
2m/6.6ft	Left Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC2ML
1m/3.3ft	Straight - Apple (30-pin) Dock Connector	Left Angle - Male USB A	White	USB2ADC1MUR
1m/3.3ft	Straight - Apple (30-pin) Dock Connector	Right Angle - Male USB A	White	USB2ADC1MUL
1m/3.3ft	Down Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC1MD
2m/6.6ft	Down Angle - Apple (30-pin) Dock Connector	Straight - Male USB A	White	USB2ADC2MD
Blank	Straight - Apple (30-pin) Dock Connector	Micro USB / Line-Out Audio	Black	ADC2UBA

Samsung Galaxy Tab™ Dock Solutions

Turn your Samsung Galaxy Tab™ into a USB host and connect USB devices (thumb drives, mice, keyboards…etc.)

SAMSUNG GALAXY TAB DOCK SOLUTIONS

Length	Dock Connector	USB Connector	Color	Part Number
1m/3.3ft	Samsung (30 Pin) Connector	Male USB A	Black	USB2SDC1M
2m/6.6ft	Samsung (30 Pin) Connector	Male USB A	Black	USB2SDC2M
0.15m/6in	Samsung (30 Pin) Connector	USB On-The-Go (OTG) Adapter	Black	SDCOTG

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Cables

Ultrabook Accessories

The thin, portable design of Ultrabook™ laptops often means fewer USB ports available to users than would be available through a full form-factor laptop.

We offer a number of innovative USB-based adapters products that not only add the connection ports you need, but also feature built-on USB ports that offset the one needed to connect the adapter, so you'll never run out of USB ports.

Connect DVI, VGA or HDMI displays through USB 3.0, without reducing the number of available USB ports

These innovative USB display adapters act as an external video card as well as a USB 3.0 hub, which means you can add an extra external display through a laptop USB 3.0 port, while still having a USB 3.0 port available for more device connections.

See page 6 for our full offering of USB Video Adapters

StarTech.com offers USB 3.0 Pass through solutions for:

USB 3.0 to VGA HDMI DVI

See page 45 for Our full selection of USB 3.0 Connector types

Passthrough USB 3.0 Connector

Add the security of wired Gigabit network access

There are many situations where a wired Gigabit Ethernet connection is preferred over a wireless solution. StarTech.com offers regular USB 3.0 to Gigabit adapters as well as a unique USB 3.0 to Gigabit Adapter with built-in fully powered USB 3.0 hub.

Add a wired network connector as well as 3 fully powered USB 3.0 ports

See page 32 for our full offering of USB Gigabit Adapters

Add extra USB 3.0 ports to your ultrabook

StarTech.com USB 3.0 Hubs turn one USB 3.0 port into multiple ports, providing a cost-effective solution for adding USB 3.0 ports to overcome Ultrabook system limitations.

Slim portable 2 port Hub

See page 25 for our full offering of USB 3.0 Hubs

StarTech.com
Hard-to-find made easy®

Drive Cables

Our SATA Cables support fast data transfer rates up to 6 Gbps and are designed to offer maximum flexibility and airflow in any system configuration.

3m Thunderbolt Cable
TBOLTMM3M

External Serial Attached SAS Cable 8088/8088
SAS88881

SATA to LP4 Power Cable Adapter
LP4SATAFM

12in SATA to Right Angle SATA Serial ATA Cable
LSATA12RA1

20in Slimline SATA to SATA with LP4 Power Cable Adapter
SLSATAF20

12in Micro SATA to SATA with LP4 Power Adapter Cable
MCSATAF20

THUNDERBOLT CABLES

x = Length

Lengths	Type	Part Number
50 cm, 1, 2, 3 m	Thunderbolt Cable - M/M - Black	TBOLTMMxM
50 cm, 1, 2, 3 m	Thunderbolt Cable - M/M - White	TBOLTMMxMW

SAS CABLES

x = Length

Lengths	Type	Part Number
1, 2, 4m	External Serial Attached SCSI SAS Cable - SFF-8470 to SFF-8088	ISAS8870X
1, 2m	External Serial Attached SAS Cable - SFF-8088 to SFF-8088	ISAS8888X
18 in	SAS 29 Pin to SATA Cable with LP4 Power	SAS729PW18
50 cm	Serial Attached SCSI SAS Cable - SFF-8087 to 4x Latching SATA	SAS8087S450
50, 100 cm	Serial Attached SCSI SAS Cable - SFF-8087 to SFF-8087	SAS8787xx

INTERNAL SATA

Lengths	Type	Part Number
	LP4 to SATA Power Cable Adapter with Floppy Power	LP4STAFMD
	SATA to LP4 Power Cable Adapter	LP4SATAFM
4in	SATA Power Y Splitter Adapter Cable	PYO3SATA
	SATA to LP4 with 2x SATA Power Splitter Cable	PYO2LP4SATA
18in	SATA Serial ATA Data and Power Combo Cable	SATA18POW
6in	4 Pin Molex to SATA Power Cable Adapter	SATAPOWADAP

SATA DATA

x = Length

Lengths	Type	Part Number
6, 8, 12, 18, 24, 36in	SATA Data Cable	SATAxx
18, 24, 36in	SATA to Right Angle SATA Serial ATA Cable	SATAxxRA1
18, 24in	SATA to Left Angle SATA Serial ATA Cable	SATAxxLA1
36in	Shielded SATA Serial ATA Cable	SATA36S
12 in	22 Pin SATA Power and Data Extension Cable	SATA22PEXT

LATCHING SATA

x = Length

Lengths	Type	Part Number
12, 18, 24in	Latching SATA Cable	LSATAxx
12,18, 24in	SATA to Right Angle SATA Serial ATA Cable	LSATAxxRA1
6, 12, 18, 24 in	Latching Round SATA Cable	LSATARNDx

EXTERNAL SATA

x = Length

Lengths	Type	Part Number
3, 6ft	Shielded External eSATA Cable M/M	ESATAx
6ft	6ft Shielded eSATA to SATA Cable	SATA2ESATA6
1ft	1ft Low Profile Latching SATA to eSATA Plate Adapter	ESATAPLT1LPL
3ft	3ft eSATA and USB A to Power eSATA Cable - M/M	ESATAUSBMM3
	2 Port SATA to eSATA Slot Plate Bracket	ESATAPLATE2

SLIM SATA / MICRO SATA

Type	Part Number
20in Slimline SATA to SATA with LP4 Power Cable Adapter	SLSATAF20
Slimline SATA to SATA Adapter with Power	SLSATAADAP
Slimline SATA to SATA Adapter with SP4 Power - Screw Mount	SLSATACDADAP
12in Micro SATA Extension Cable	MCSATA12EXT
Micro SATA to SATA Adapter Cable with Power	MCSATAADAP
12in Micro SATA to SATA with SATA Power Adapter Cable	MCSATAF12S

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Cables

Computer Power & FireWire Cables

Our power cables are designed to meet all requisite safety standards, and are available for portable, desktop and server applications. We offer a variety of FireWire 400 and FireWire 800 cables and adapters to deliver reliable high speed data transfer



8in ATX12V 4 Pin P4 CPU Power Extension Cable
ATXP4EXT

6ft Standard Computer Power Cord
PXT101

10ft Computer Power Cord Splitter
PXT100Y

8ft Computer Power Cord 5-15P to C19
PXT515C198

6ft IEEE-1394 FireWire Extension Cable 4 - 4 M/F
139444EXT6

INTERNAL POWER CABLES

Lengths	Type	Part Number
6in	LP4 to 6-Pin PCI Express Adapter Cable	LP4PCIEXADAP
6in	PCI Express 6-Pin to 8-pin Adapter Cable	PCIEX68ADAP
8in	EPS Power Extension Cable	EPS8EXT
8in	P4 Power Extension Cable	ATXP4EXT
8in	ATX Power Extension Cable	ATX24POWEXT
6in	LP4 to P4 Power Cable	LP4P4ADAP
6in	ATX Power 20 pin Motherboard to 24 pin Power Supply Adapter	ATX2024FM
6in	ATX Power 24 pin Motherboard to 20 pin Power Supply Adapter	ATX2024MF
9in	LP4 Power Splitter Cable	PYO2L
8in	LP4 to LP4/SP4 Splitter Cable	PYO2SL
12in	TX3 Fan Power Extension Cable	TX3EXT12
12in	TX3 Fan Power Splitter Cable	TX3SPLIT12
6in	TX3 Fan Power Splitter Cable	TX3SPLITTER
6 inch	PCI Express Power Splitter Cable	PCIEXSPLIT6
12 inch	4 Pin Fan Power Extension Cable - M/F	FAN4EXT12
12 inch	4 Pin Fan Power Splitter Cable - F/M	FAN4SPLIT12

AC POWER CABLES

x = Length

Lengths	Type	Part Number
1, 3, 6, 10, 15, 20, 25ft	Standard Computer Power Cord - NEMA5-15P to C13	PXT101x
6, 10ft	14 AWG Computer Power Cord - NEMA5-15P to C13	PXT10114x
6ft	Standard Y Computer Power Cord NEMA 5-15P to 2x C13	PXT101Y
6, 10ft	Standard Computer Power Cord - NEMA 5-15P to Right Angle C13	PXT101Lx
6, 10ft	Standard Laptop Power Cord - NEMA 1-15P to C7	PXT101NB
3, 6, 10ft	Standard Laptop Power Cord - NEMA 5-15P to C5	PXT101NB3Sx
1, 3, 6, 10ft	Standard Computer Power Cord Extension - C14 to C13	PXT100x
6, 10ft	10 ft 14 AWG Computer Power Cord Extension - C14 to C13	PXT10014x
10ft	10 ft Computer Power Cord Splitter IEC320 C14 to 2x IEC320 C13	PXT100Y
1ft	Computer Power Cord - IEC 320 EN 60320 C14 to NEMA 5-15R	PAC100
1, 6, 10, 15, 20, 25ft	Power Cord Extension - NEMA 5-15R to NEMA 5-15P	PAC101x
6, 10ft	14 AWG Power Cord Extension - NEMA 5-15R to NEMA 5-15P	PAC10114x
1.5ft	Power Y Cable - NEMA 5-I5R to NEMA 5-15P	PAC101Y
8ft	Computer Power Cord - NEMA 5-15P to IEC 320 C19	PXT515C198
1, 3, 6, 10ft	Computer Power Cord - C19 to C20	PXTC19C20x
8ft	Server Power Cord IEC320 C-19 to NEMA L5-20P 12/3	PXTL520C19
6ft	Server Power Cord IEC320 C-13 to NEMA L6-20P 14/3	PXTL620C13

FIREWIRE CABLES

x = Length

Lengths	Type	Color	Part Number
1, 6, 10, 15ft	IEEE-1394 FireWire A - 6pin to 6pin	Black	1394_xx
10, 15ft	IEEE-1394 FireWire A - 6pin to 6pin	Transparent	1394_xxT
6, 10, 15ft	IEEE-1394 FireWire A - 4pin to 4pin	Black	1394_44_xx
1, 6, 10, 15ft	IEEE-1394 FireWire A - 4pin to 6pin	Black	1394_46_xx
6ft	IEEE-1394 FireWire A - 4pin to 6pin	Transparent	1394_46_6T
6, 10ft	IEEE-1394 FireWire B - 9pin to 4pin	Black	1394_94_xx
1, 6, 10ft	IEEE-1394 FireWire B - 9pin to 6pin	Black	1394_96_xx
6, 10ft	IEEE-1394 FireWire B - 9pin to 9pin	Black	1394_99_xx
6ft	IEEE-1394 FireWire Extension Cable 4pin to 4pin	Black	139444EXT6

StarTech.com
Hard-to-find made easy®

Serial Cards & Adapters

If you're looking for a simple, cost-effective way to connect serial devices in your industrial application or server room, our serial cards and adapters make it easy to add serial ports to your computer.

2 Port Low Profile PCI RS232 Serial Card
PCI2S550_LP

PCI SERIAL CARDS

# of Ports	UART	Features	Chipset	Part Number
1 Port	16550	Standard (LP) / Low Profile (Std)	MCS9820CV	PCI1S550 / PCI1S550LP
2 Ports	16550	Standard (LP) / Low Profile (Std)	MCS9835CV	PCI2S550 / PCI2S550LP
2 Ports	16950	Dual Voltage 3.3/5V; Std & LP	OXuPCI952	PCI2S950DV
2 Ports	161050	RS422/485; Dual Voltage	SB16C1052PCI	PCI2S4851050
4 Ports	16550	Dual Voltage 3.3/5V; Std Profile	MCS9845CV	PCI4S550N
4 Ports	16C950	3.3/5V; Power Output; Std & LP	OXuPCI954	PCI4S954PW

4 Port PCIe RS232 Serial Card with Cable
PEX4S553B

PCI EXPRESS SERIAL CARDS

# of Ports	UART	Features	Chipset	Part Number
1 Port	16950	RS232; Std (LP) / Low Profile (Std); LP4	OXPCIe952	PEX1S952 / PEX1S952LP
1 Port	16550	RS232; Std (LP) / Low Profile (Std); LP4	MCS9922	PEX1S553 / PEX1S553LP
2 Ports	16950	RS232; Std(LP) / LP(Std); LP4	OXuPCIe952	PEX2S952 / PEX2S952LP
2 Ports	16550	RS232; Std(LP) / LP(Std); LP4 / Breakout Cables	MCS9922	PEX2S553 / PEX2S553LP / PEX2S553B
2 Ports	16C950	RS232; BO Cables; DV; Power Out; 15KV ESD	OXPCIe952	PEX2S952PW
4 Ports	16950	RS232; Std(LP) / LP(Std); LP4	OX16PCI954	PEX4S952 / PEX4S952LP
4 Ports	16550	RS232; 2 DB9 + 2 DB9; Std(LP)/ Breakout Cables LP(SP)	MCS9904CV	PEX4S553 / PEX4S553B
4 Ports	16C1050	2 RS232 + 2 RS422/485; Std (LP)	SB16C1052PCI	PEX4S232485
8 Ports	16950	RS232; 2 X 4 DB9 BO Cables; LP (2 x SP)	OXmPCI952-LQAG	PEX8S950LP
8 Ports	16950	RS232; 8 x DB9 BO Cables; Std Profile	OXPCIe958	PEX8S952

1S1P 54mm ExpressCard Serial Parallel Card
EC1S1P55254

COMBO CARDS - SERIAL & PARALLEL

# of Ports	UART	Features	Chipset	Part Number
2 Ports	16950	54mm Expresscard; 1 Ser + 1 Par	MCS9922CV-AA	EC1S1P55254
3 Ports	16950	PCI/PCI-X Dual Voltage; 2 Ser + 1Par	MCS9835CV	PCI2S1P
4 Ports	16C1050	PCI/PCI-X; Dual Voltage; 2 Ser + 2 Par	MCS9865IV	PCI2S2PMC
2 Ports	16950	PCI Express; Std + LP; 1 Ser + 1 Par, LP4	OXPCIe952	PEX1S1P952
3 Ports	16550	PCI Express; Std + LP; 2 Ser + 1 Par; LP4	MCS9901	PEX2S5531P / PEX2S1P553B

4 Port Mini PCIe Serial Card 16650 UART
MPEX4S552

MINI PCI EXPRESS CARDS

# of Ports	UART	Features	Chipset	Part Number
2 Ports	16950	1 RS232 Serial + 1 1284 Par	OXPCIe952	PEX1S1PMINI
2 Ports	16950	RS232; 2 x DB9 BO Cables	OXPCIe952	MPEX2S952
3 Ports	16550	2 RS232 Serial + 1 1284 Par; BO Cables	MCS9901	MPEX2S1P552
4 Ports	16550	RS232; 4 x DB9 BO Cables	MCS9904C	MPEX4S552

1 Port USB Based ExpressCard Serial Card
EC1S232U2

EXPRESSCARD / CARDBUS SERIAL

# of Ports	UART	Features	Chipset	Part Number
1 Port	16950	34mm Expresscard; USB-based	PL-2303	EC1S232U2
1, 2 & 4 Ports	16950	34mm Expresscard; Incl Bracket	OXPCIe952 / 954	EC1S952 / EC2S952 / EC4S952
2 Ports	16950	54mm Expresscard; 2xDB9 BO cables	MCS9922CV	EC2S55254

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Add-On Cards & Peripherals

USB TO SERIAL ADAPTERS

# of Ports	Features	Chipset	Part Number
1 Port	RS232; 3' Dongle	PL2303	ICUSB232SM3
1 Port	RS232; DB25 and DB9; 3' Dongle	PL2303	ICUSB232DB25
1 Port	Straight Through RS232	PL2303	ICUSB232
1 Port	RS232; COM Retention; 6' Cable; 16950	FTDI-FT232RL	ICUSB2321F
1 Port	RS232; Optical Isolation; COM Ret.; 8' Cable; 16950	FTDI-FT232RL	ICUSB2321FIS
1, 2 & 4 Ports	Prof RS232; COM Ret; Wall Mount Hub (2/4 Port)	TIUSB3410	ICUSB2321X / ICUSB2322X / ICUSB2324X
1 Port	Null Modem RS232; Com Retention; 3.3'; 16950	FTDI-FT232RL	ICUSB232FTN
1 Port	RS422/485; Metal Industrial Hub; Wall Mount	FTDI-FT232RL	ICUSB422IS
2 Ports	RS232 Ser + 1284 Par; 3' cable	MCS7715	ICUSB2321284
2 Ports	RS232; COM Retention; 6' Cable; 16950	FTDI-FT232RL	ICUSB2322F
2 Ports	RS232 RJ45; Metal Industrial Hub; Wall/DIN Mount	FTDI - FT232R	ICUSB2322RJ
2 Ports	RS232; 1' Dongle	PL2303	ICUSB232C2
2, 4 & 8 Ports	RS232; Metal Industrial Hub; Wall/DIN Mount	FTDI - FT232RL	ICUSB2322I / ICUSB2324I / ICUSB2328I
4 & 8 Ports	RS232 Hub	FTDI - FT232RL	ICUSB2324 / ICUSB2328

1 Port FTDI USB to Serial Adapter Cable
ICUSB2321F

4 Port Wall/DIN Mount USB to RS232 Serial Hub
ICUSB2324I

USB 2.0 Cards, Hubs, Extenders

Add new ports or connect more devices over longer distances, with our USB cards, hubs, and extenders.

7 Port PCI USB Card Adapter
PCIUSB7

7 Port Low Profile PCIe USB 2.0 Card
PEXUSB7LP

Mountable Rugged Industrial 7 Port USB Hub
ST7200USBM

2 Port USB 2.0 Extender over Cat5 or Cat6
USB2002EXT2

LAPTOP/NOTEBOOK

# of Ports	Bus	Connection	Key Features	Part Number
2 Ports	CardBus	USB 2.0	32 bit CardBus	CBUSB22
2 Ports	ExpressCard	USB 2.0	PC and MAC Compatible	EC230USB
4 Ports	ExpressCard	USB 2.0	PC and MAC Compatible	EC400USB

DESKTOP

# of Ports	Bus	Type	Key Features	Part Number
3 Ports	PCI	USB 2.0	Standard Profile / Low Profile	PCI220USBLP
5 Ports	PCI	USB 2.0	4 external + 1 Internal	PCI420USB
7 Ports	PCI	USB 2.0	4 external + 3 Internal; Servers	PCIUSB7
5 Ports	PCIe	USB 2.0	4 external + 1 Internal	PEX400USB2
4 Ports	PCIe	USB 2.0	Configured as Low Profile; 3 ext / 1 Int; SP bracket included	PEXUSB4DP
4 Ports	PCIe	USB 2.0	4 Independent USB 2.0 Ports	PEXUSB400
7 Ports	PCIe	USB 2.0	6 external + 1 Internal; Servers; LP	PEXUSB7LP

USB 2.0 HUBS & SWITCH

# of Ports	Interface	Color	Key Features	Part Number
4 Ports	USB 2.0	Silver	Desktop/Laptop	ST4200MINI
4 Ports	USB 2.0	Black	Industrial (metal), Mountable	ST4200USBM
4 Ports	USB 2.0	Black	Desktop/Laptop	ST4202USB
7 Ports	USB 2.0	Black	Industrial (metal), Mountable	ST7200USBM
7 Ports	USB 2.0	Black	Desktop/Laptop	ST7202USB
4 Ports	USB 2.0	Silver	4-to-1 USB Peripheral Sharing Switch	USB421HS
6 Ports	USB 2.0 / eSATA / FAN400	Black	Front 3.5" Bay Panel, HD Audio	35BAYPANELHD

USB/PS2 EXTENDERS

# of Ports	Interface	Color	Key Features	Part Number
1 Port	USB 1.1	Black	CAT 5/6; Up to 165' (50m)	USB110EXT2
1 Port	USB 2.0	Black	Metal; CAT 5/6; Up to 330' (100m)	USB2001EXT2
2 Port	USB 2.0	Black	Metal; CAT 5/6; Up to 330' (100m); Local Pwr	USB2002EXT2
4 Port	USB 2.0	Black	Metal; CAT 5/6; Up to 330' (100m)	USB2004EXT2
2 ports	PS/2	Black	PS/2 Keyboard & Mouse Over Cat 5; 328 ft/100m	PS2UTPEXT

StarTech.com
Hard-to-find made easy®

USB 3.0 Cards & USB 3.0 Hubs

USB 3.0 is gaining popularity for its higher transfer speed and modest power consumption. Our cards and hubs help you to get the most out of this emerging standard.

2x Flush Mount ExpressCard/54 USB 3 Card
ECUSB3S254F

LAPTOP/NOTEBOOK

# of Ports	Bus	Type	Key Features	Part Number
1 Port	34mm ExpressCard	USB 3.0	Flushmount; Slim design	ECUSB3S11
2 Ports	34mm ExpressCard	USB 3.0	Stacked ports	ECUSB3S2
2 Ports	34mm ExpressCard	USB 3.0	Flat side-by-side ports	ECUSB3S22
2 Ports	54mm ExpressCard	USB 3.0	Flushmount; Slim design	ECUSB3S254F

4 Port PCI Express SuperSpeed USB 3.0 Card
PEXUSB3S4V

DESKTOP

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	Mini PCIe	USB 3.0	Mini ITX & Embedded solutions	MPEXUSB3S2
2 Ports	PCI	USB 3.0	Add USB 3.0 to older systems; Std & Low profile	PCIUSB3S22
4 Ports	PCI	USB 3.0	4 External Horizontal Ports, SP4 + SATA Power	PCIUSB3S4
2 Ports	PCIe	USB 3.0	1 External/1 Internal; Std & Low profile	PEXUSB3S11
2 Ports	PCIe	USB 3.0	LP4 Power; Std & Low Profile	PEXUSB3S2
2 Ports	PCIe	USB 3.0	SATA Power; Std & Low Profile	PEXUSB3S22
4 Ports	PCIe	USB 3.0	2 Ext/ 2 int; MB Headers; SATA Power	PEXUSB3S2E2I
4 Ports	PCIe	USB 3.0	3 Ext/1 int; SATA Power; Std & Low Profile; TI Chip	PEXUSB3S4
4 Ports	PCIe	USB 3.0	4 External Horizontal Ports, SATA Power	PEXUSB3S4V
4 Ports	PCIe	USB 3.0	4 Independent Ext Horizontal Ports, LP, Opt. SATA Power	PEXUSB3S400

4 Port USB 3.0 Panel for 3.5" Front Bay
35BAYUSB3S4

USB 3.0 HUBS

# of Ports	Type	Color	Key Features	Part Number
2 Ports	USB 3.0	Black	Compact; With Dongle	ST2300CUSB3
4 Ports	USB 3.0	Black	Front 3.5in or 5.25in (with BRACKETFDBK) Bay	35BAYUSB3S4
4 Ports	USB 3.0	Black	Compact; 900mA per Port	ST4300USB3
4 Ports	USB 3.0	Black	Industrial design; mountable; 900mA per port	ST4300USBM
4 Ports	USB 3.0 GbE	White & Black	3 USB 3.0 + Gigabit Ethernet RJ45	ST3300U3S
6 Ports	USB 3.0 / 2.0	Black	2 x USB 3.0 / 4 x USB 2.0 / 2A charging port	ST7320USBC
7 Ports	USB 3.0	Black	Industrial; Metal, wall/Din mount	ST7300USBM

Parallel Cards & Adapters

Our parallel cards and adapters make it easy to add Centronics/printer ports to your computer, when your PC doesn't have a native port.



PARALLEL CARDS

# of Ports	Bus	Chipset	Features	Part Number
1 Port	ExpressCard	OXPCI2952	PCIe - Based	EC1PECPS
1 Port	PCI	NM9805CV	Low Profile	PCI1P_LP
1 Port	PCI	NM9805CV		PCI1PECP
1 Port	PCI	UL7512EQ	Mappable I/O Address	PCI1PM
1 Port	PCI Express	OXPCIe952	Dual Profile	PEX1P / PEX1PLP
2 Port	PCI Express	MCS9865	Dual Profile	PEX2PECP2

USB PARALLEL ADAPTERS

# of Ports	Length	Parallel Connection	Features	Part Number
1 Port	10 ft	Centronics		ICUSB128410
1 Port	6 ft	DB25		ICUSB1284D25
1 Port	6 ft	Centronics		ICUSB1284
1 Port	2 ft	DB25	Connects to USB Header	ICUSB1284INT

6ft USB to Parallel Printer Adapter - M/M
ICUSB1284

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Add-On Cards & Peripherals

Hard Drive Controller Cards

Add or expand your support for cutting-edge and legacy data protocols with our extensive line of storage controller cards.

Flush Mount ExpressCard eSATA Controller
ECESATA254F

LAPTOP/NOTEBOOK

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	CardBus	eSATA	32 bit CardBus	CBESAT2
1 Port	34mm ExpressCard	eSATA	Flushmount; slim design	ECESATA1
2 Ports	54mm ExpressCard	eSATA	Flushmount; slim design; Port Multiplier	ECESATA254F
2 Ports	54mm ExpressCard	eSATA	Single Chip; Port Multiplier	ECESATA254
1 Port	34mm ExpressCard	eSATAp(USB+eSATA)	Single combination port	ECESATUSB1
2 Ports	34mm ExpressCard	eSATA	SATA III; Port Multiplier	ECESAT32

2 Port Mini PCIe Internal SATA Card
MPEXSATA22I

DESKTOP

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	Mini PCIe	SATA	Internal; Mini ITX & Embedded solutions	MPEXSATA22I
2 Ports	PCI	eSATA/SATA	1 Ext + 1 Internal; LP Bracket	PCIESATA2I
4 Ports	PCI	SATA	RAID 0, 1; LP Bracket	PCISATA4R1
3 Ports	PCI	SATA/IDE	2 Int SATA & IDE; LP Bracket	PCISAT2IDE1
1 Port	PCIe	eSATA	Single Chip; PM; LP Bracket	PEXESATA1
2 Ports	PCIe	eSATA/SATA	1 Ext + 1 Int; Single Chip; PM; LP Bracket	PEXESATA2I
2 Ports	PCIe	eSATA	Single Chip; PM; LP Bracket	PEXESATA2
2 Ports	PCIe	SATA	2 Int; Single Chip; PM; LP Bracket	PEXSATA22I
6 Ports	PCIe	eSATA/SATA	2 Ext + 4 Int; Single Chip; PM, x4	PEXSATA24E
2 Ports	PCIe	eSATA	SATA III ; PM; LP Bracket	PEXESAT32
2 Ports	PCIe	eSATA/SATA	1 External + 1 Internal SATA III, PM, LP	PEXSAT31E1
2 Ports	PCIe	eSATA/SATA	2 External + 2 Internal SATA III, PM, LP	PEXESAT322I
2 Ports	PCIe	SATA	SATA III ; PM; LP Bracket	PEXSAT32
4 Ports	PCIe	SATA/eSATA	SATA III; PM; 4 SATA with Shared eSATA; x4	PEXSAT34
2 Ports	PCI	IDE	Supports up to 4 Drives	PCIIDE2
1 Port	PCIe	IDE	Supports 2 Drives; LP Bracket	PEX2IDE
4 Ports	PCIe	SATA	4 Internal SATA III, PM, RAID 0, 1, 10, Heatsink	PEXSAT34RH
4 Ports	PCIe	SATA	Mini-SAS SFF-8087; SATA III; RAID, PM	PEXSAT34SFF

4 Port PCIe SATA III RAID Card
PEXSAT34RH

StarTech.com®
ConXit Connection Wizard

This user-friendly tool makes it easy to find the right connectivity part in two easy steps.

Visit: www.startech.com/conxit



StarTech.com
Hard-to-find **made easy**®



Slot Conversion & Extension

Our expansion slot conversion and extension products offer simple solutions for adapting or converting expansion cards for compatibility with the host system or laptop.

ExpressCard to CardBus Laptop Adapter PC Card
CB2EC

PCIe to PCI/PCIe Expansion System
PEX2PCIE4L

PCI Express x1 to x16 Adapter Card
PEX1TO162

LAPTOP/NOTEBOOK/DESKTOP

Host System	Host	Peripheral	Key Features	Part Number
Desktop/Server	Mini PCIe	Half Mini PCIe	Half-length Mini PCIe in a full-length Mini PCIe slot	HMPEXADP
Desktop/Server	PCIe	Mini PCIe	Adapt Mini PCIe to PCIe	PEX2MPEX
Desktop/Server	PCI	Low Profile PCIe	Adapt LP PCIe to PCI	PCI1PEX1
Desktop/Server	PCIe	Low Profile PCI	Adapt LP PCI to PCIe	PEX1PCI1
Desktop/Server	PCI	Mini PCI	Adapt Mini PCI like Wireless Card	PCI2MPCIB
Desktop/Server	PCIe	ExpressCards	Use 34/54mm in PC	PEX2ECDP
Laptop	ExpressCard	CardBus	Use CB cards in EC equipped Laptop	CB2EC
Laptop	CardBus	ExpressCard (USB)	Use EC cards in older Laptops	EC2CBU
Desktop/Laptop	USB	ExpressCard (USB)	Use Broadband or USB EC in PC	ECU2USB
Desktop/Server	PCI	PCMCIA	Use single PCMCIA Cards in PC	PCI2PCMCIA1E
Desktop/Server/Laptop	PCIe/EC	PCI/PCIe	2 PCI/2 PCIe Slot Expansion Box; EC2PCI for Laptops	PEX2PCIE4L
Desktop/Server/Laptop	PCIe/EC	PCI	4 PCI Slot Expansion Box; EC2PCI for Laptops	PEX2PCI4
Desktop/Server	PCIe x1	PCIe x1 - x16	Adapts LP PCIe Cards	PEX1TO162
1U/2U PC or Server	PCIe x1	PCIe x16	Install full size x16 Graphics Card in SFF System	PEX16RISER
1U/2U PC or Server	PCIe x1	Full PCIe x1	Install full size PCIe in SFF System	PCIE1RIS
Server	PCIX	Low Profile PCIe	Install LP X16/x8/x4 PCIe card in a PCI-X slot	PCIX1PEX4
1U IPC Server	PCIe	PCI	32-bit PCI card to x1 PCIe slot for Intel 1U IPC	PEX1PCI1R
1U Server	PCIe	PCIe	Install up to x16 PCIe in x4 and x8 Slots	PEX4TO16R/PEX8TO16R
1U Server	PCIe	PCIe	Install x4/x1 PCIe cards to female x4 PCIe	PEX4RISER
1U Server	PCIe	PCIe	Install x8/x4/x1 PCIe cards to female x8 PCIe	PEX8RISER
1U Server/SFF	PCIe	PCIe	x1 to x1 with Flex 7cm cable	PEX1RISERF
1U Server/SFF	PCIe	PCIe	x4 to x4 with Flex 7cm cable	PEX4RISERF
1U Server/SFF	PCIe	PCIe	x8 to x8 with Flex 7cm cable	PEX8RISERF
Laptop	ExpressCard 54mm	ExpressCard 34mm	3 Pack - 34mm to 54 mm stabilizer bracket	ECBRACKET2

Laptop USB Docking Stations

Our USB Docking Stations provide multiple connectivity ports through a single USB port on your laptop, for easier connection to your home or office peripherals.

USB to VGA/Audio/ Ethernet Dock
USBVGADOCK2

LAPTOP USB DOCKING STATIONS

Ports	Type	Color	Key Features	Part Number
11 Ports	USB 3.0	Black	USB 3.0 / 2.0, HDMI + DVI, RJ45, Audio	USB3SDOCKHD
10 Ports	USB 3.0	Black	USB 3.0 / 2.0, DVI, RJ45, Audio	USB3SDOCKD
8 Ports	USB 2.0	Black	USB 2.0, VGA, RJ45, Audio	USBVGADOCK2
7 Ports	USB 2.0	Black	USB 2.0, RJ45, Audio	USBDOCK2



Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Add-On Cards & Peripherals

FireWire Cards

Our FireWire cards enable you to add FireWire connectivity to your laptop or desktop computer.

2 Port ExpressCard 1394a Firewire Card
EC13942

3 Port 2b 1a Mini PCIe FireWire Card
MPEX1394B3

LAPTOP/NOTEBOOK

# of Ports	Bus	Type	Key Features	Part Number
2 Ports	CardBus	1394a	Includes DV Edit Kit	CB1394_2
3 Ports	CardBus	1394a	Includes DV Edit Kit	CB1394
3 Ports	ExpressCard	1394a / USB 2.0	Combo 34mm	EC1U2F
2 Ports	ExpressCard	1394a	34mm, VIA Chipset	EC13942A2
2 Ports	ExpressCard	1394a	34mm, TI Chipset	EC13942
2 Ports	ExpressCard	1394b	34mm, Up to 800 Mbps	EC1394B2

DESKTOP

# of Ports	Bus	Type	Key Features	Part Number
3 Ports	PCI	1394a	Std or LP configurations	PCI1394_2LP
4 Ports	PCI	1394a	PC and Mac Compatible; LP Bracket	PCI1394MP
4 Ports	PCI	1394a	Includes DV Edit Kit	PCI1394_4
4 Ports	PCI	1394b/1394a	Two FW800; 3.3 or 5v slots	PCI1394B_3
2 Ports	PCIe	1394a	Single Chipset; LP Bracket; DV Edit Kit(DV Only)	PEX1394A2/PEX1394A2DV
4 Ports	PCIe	1394a	3 Ext + 1 Int; LP Bracket	PEX13943
3 Ports	PCIe	1394b/1394a	Two FW800; Single Chipset; LP Bracket Included	PEX1394B3
3 Ports	PCIe	1394b/1394a	Two FW800; Single Chipset; LP Config (Std Incl.)	PEX1394B3LP
2 Ports	Mini PCIe	1394b	Two FW800; Mini ITX & Embedded Solutions	MPEX1394B3



Sound Cards & Adapters

Add high quality, multi-channel sound to your computer, either through an internal PCI sound card or a USB audio adapter.

7.1 USB External Sound Card with SPDIF Digital Audio
ICUSBAUDIO7D

LAPTOP/NOTEBOOK

Ports	Bus	Type	Key Features	Part Number
Audio Out, Line in, MIC, MIDI	PCI	4 Channel	Legacy Audio SBPro; Low Profile version (4LP)	PCISOUND4CH/PCISOUND4LP
Audio Out, Line in, MIC	PCI	5.1 Channel	Legacy Audio SBPro; Low Profile version	PCISOUND5LP
Surround Out, Line in, MIC	PCI	7.1 Channel	SPDIF Digital Out	PCISOUND7
Surround Out, Line in, MIC	External USB	7.1 Channel	SPDIF Digital Out; Volume Controls	ICUSBAUDIO7D
Headphone/MIC	External USB	Audio Adapter	7.1 Channel (virtual)	ICUSBAUDIO7
Headphone/MIC	External USB	Audio Adapter	Black or White	ICUSBAUDIOB/ICUSBAUDIO

StarTech.com
Hard-to-find made easy®

SFP's (Transceivers)

Our fiber transceivers (SFPs) deliver maximum durability and reliability, helping to ensure optimal performance and connectivity of your fiber-connected network devices.

155 Mbps 1310nm LC Multi Mode Fiber SFP 2km
SFPF1302C

1.25 Gbps 1550nm LC Single Mode Fiber SFP 80km
SFPG1580C

SFP'S

Network	Cable Type	Distance	Wavelength	Compliance	Cisco Part #	Part Number
Fast Ethernet	Multi Mode	2km (1.2mi)	1310nm	DDM; MSA Compliant	GLC-FE-100FX	SFPF1302C
Fast Ethernet	Single Mode	20km (12.4mi)	1310nm	DDM; MSA Compliant	GLC-FE-100LX	SFPF1320C
Fast Ethernet	Single Mode	40km (24.8mi)	1310nm	DDM; MSA Compliant	GLC-FE-100EX	SFPF1340C
Gigabit Ethernet	Copper (RJ45)	100m (330ft)		MSA Compliant	GLC-GE-T	SFPC1110
Gigabit Ethernet	Copper (RJ45)	100m (330ft)		MSA Compliant	GLC-T	SFPGLCTST
Gigabit Ethernet	Multi Mode	550m (1804 ft)	850nm	MSA Compliant		SFPSXMM
Gigabit Ethernet	Multi Mode	550m (1804 ft)	850nm	DDM; MSA Compliant	SFP-GE-S	SFPGESST
Gigabit Ethernet	Multi Mode	550m (1804 ft)	850nm	MSA Compliant	GLC-SX-MM	SFPGLCSXMMST
Gigabit Ethernet	Single Mode	10km (6.6mi)	1310nm	MSA Compliant	GLC-LH-SM	SFPGLCLHSMST
Gigabit Ethernet	Single Mode	20km (12.4mi)	1310nm	DDM; MSA Compliant		SFPG1320C
Gigabit Ethernet	Single Mode	40km (24.8mi)	1310nm	DDM; MSA Compliant	GLC-EX-SMD	SFPG1340C
Gigabit Ethernet	Single Mode	40km (24.8mi)	1310nm	MSA Compliant		SFPLHSM
Gigabit Ethernet	Single Mode	80km (49.7mi)	1310nm	DDM; MSA Compliant	SFP-GE-Z	SFP1580C

SFP Cables

Our SFP cables are designed for short length, high speed interconnects. These low power, low latency Twinax cables are a cost-effective alternative for short distance applications such as point-to-point in-rack and across rack network switch/server connections.

SFP+ 10-Gigabit Ethernet Twinax Cable
SFPCMM5M

SFP CABLES

Network	Cable Type	Cable Length	Equivalent Cisco Part #	Part Number
10-Gigabit Ethernet (10GbE)	Twinax Direct Attach	1m (3.3ft)	Cisco Compatible; SFP+ MSA Compliant	SFPCMM1M
10-Gigabit Ethernet (10GbE)	Twinax Direct Attach	2m (6.6ft)	Cisco Compatible; SFP+ MSA Compliant	SFPCMM2M
10-Gigabit Ethernet (10GbE)	Twinax Direct Attach	3m (9.8ft)	Cisco Compatible; SFP+ MSA Compliant	SFPCMM3M
10-Gigabit Ethernet (10GbE)	Twinax Direct Attach	5m (16.4ft)	Cisco Compatible; SFP+ MSA Compliant	SFPCMM5M

StarTech.com®
ConXit Connection Wizard

This user-friendly tool makes it easy to find the right connectivity part in two easy steps.

Visit: www.startech.com/conxit





Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Networking I/O Products

Media Converters & Extenders

Help your network transcend long distances, from a simple ethernet extender to fiber media converters that allow your data to travel at the speed of light.

10/100 Ethernet to SC Fiber Converter Kit WDM
ET90110WDM2

Gigabit Ethernet to SC Fiber Converter 550m
ET91000SC2

2U Media Converter Chassis – ET Series 2
ETCHS2U

4 Port VDSL Ethernet Extender Kit UTP 1km
410VDSLEXT

10/100 MBPS - FIBER MEDIA CONVERTERS

Connector	Distance	Mode	Part Number
ST	2 km	Multi-mode; ST2P with PoE	MCM110ST2 / MCM110ST2P
ST	2 km	Multi-mode	ET90110ST2
SC	2 km	Multi-mode	ET90110SC2
ST	2 km	Multi-mode; Managed	MMC110MMST
SC	2 km	Multi-mode; Industrial	IMC110MMSC
SC	2 km	Multi-mode; SC2P with PoE	MCM110SC2 / MCM110SC2P
SC WDM	20 km	Single-mode; Wave Division Multiplexing	ET90110WDM2
SC	30 km	Single-mode	ET90110SM302

GIGABIT/1000MBPS - FIBER MEDIA CONVERTERS

Connector	Distance	Mode	Part Number
SC	0.5 km	MM; 1000 Base-FX Fiber	MCMGBSC055
SC	0.5 km	MM; 1000 Base-SX/LX Fiber; ETCHS2U Comp.	ET91000SC2
SC	10 km	Single-mode to Multi-mode	ET91000MMSM2
SC	15 km	Single-mode	MCMGBSC15
LC	40 km	Single-mode; ETCHS2U Comp.	ET1000S40LC2
SC	40 km	Single-mode; ETCHS2U Comp.	ET91000SM402
LC	0.5 km	Multi-mode; ETCHS2U Comp.	ET91000LC2
Open SFP Slot	Any Distance	Any MM or SM Gigabit SFP	ET1110PSE

MEDIA CONVERTER CHASSIS

Size	Slots	Features	Part Number
2U	20	Rackmount; ET Series 2 Media Converters	ETCHS2U

10/100 MBPS ETHERNET EXTENDERS

# of Ports	Distance	Cabling	Part Number
4 Ports	1 km	RJ11 VSDL Phone Cable; Kit	410VDSLEXT
1 Port	1 km	RJ11 VSDL Phone Cable; Kit	110VDSLEXT
1 Port	2.4 km	Kit; Gigabit Ethernet over Coaxial	EOC1110K
1 Port	2.4 km	GbE over Coaxial Multipoint Receiver	EOC1110R



Over IP Ethernet Device Servers

Our Over IP Device Servers and extenders offer an efficient, cost-effective solution for adding Serial + USB devices to an Ethernet network over both short or long distances.

SERIAL OVER IP DEVICE SERVERS

Protocol	Network Speed	Features	Part Number
RS232/RS422/RS485	10/100	1 port	NETRS2321E
RS232	10/100	1 port, Powered over Ethernet, Industrial Design	NETRS2321POE
RS232	10	1, 2, & 4 port, Advanced Functionality	NETRS232_1/NETRS232_2/NETRS232_4

USB OVER IP ETHERNET DEVICE SERVERS

Protocol	Network Speed	Features	Part Number
USB 2.0	10/100/1000	1 port, Gigabit	USB1000IP
USB 2.0	10/100	4 ports	USB4000IP

StarTech.com
Hard-to-find made easy®



Network Adapter Cards

Our Fast Ethernet / Gigabit Ethernet network cards and adapters offer flexible solutions for connecting your laptop, desktop computer, or server to an ethernet network by fiber or copper.

USB 3.0 Gigabit Ethernet Adapter
A Product of the Week
"provides greater bandwidth for your network connections"
NETWORKWORLD

NETWORK ADAPTER CARDS

# of Ports	Type	Bus	Host Systems	Part Number
1 Port	10/100 Ethernet	USB 2.0	Desktop/Laptop	USB2106S
1 Port	10/100/1000 Gigabit	USB 2.0	Desktop/Laptop	USB21000S2
1 Port	10/100/1000 Gigabit	USB 3.0	Desktop/Laptop; Black/White	USB31000S / USB31000SW
1 Port	10/100/1000 Gigabit	USB 3.0	Laptop with USB 3.0 Hub	ST3300U3S
1 Port	10/100/1000 Gigabit	ExpressCard	Laptop	EC1000S
2 Ports	10/100/1000 Gigabit	ExpressCard	Laptop	EC2000S
1 Port	10/100 Ethernet	PCI	Desktop; LP Version	ST100S/ST100SLP
1 Port	10/100 Ethernet	PCIe	Desktop	PEX100S
1 Port	10/100/1000 Gigabit	PCI	Desktop	ST1000BT32
1 Port	10/100/1000 Gigabit	PCIe	Desktop	ST1000SPEX/ST1000SPEX2
2 Ports	10/100/1000 Gigabit	PCIe	Desktop; Low profile	ST1000SPEXD2
2 Ports	10/100/1000 Gigabit	PCIe	PoE; 25.5W per port, LP	ST2000PEXPSE
2 Ports	10/100/1000 Gigabit	Mini PCIe	Desktop	ST1000SMPEX
4 Ports	10/100/1000 Gigabit	PCIe	Desktop/Server	ST1000SPEX42

USB 3.0 to Gigabit Ethernet Adapter
USB31000SW

PCIe Gigabit Fiber Network Card with Open SFP
PEX1000SFP

FIBER NETWORK CARDS

Type	Bus	Features	Part Number
1000 Mbps Gigabit	PCI Express	Multi-mode ST / SC 550m	PEX1000MMST / PEX1000MMSC
100 Mbps	PCI Express	Multi-mode ST / SC 2km	PCI100MMST / PCI100MMSC
1000 Mbps Gigabit	PCI Express	Open, Gigabit, SFP, MM or SM Fiber SFP Jumbo Frames	PEX1000SFP
100 Mbps	PCI Express	Open 10/100 SFP MM or SM Fiber SFP	PEX100SFP

Ethernet Switches

Our high quality Ethernet switches offer the ideal solution for joining network segments and expanding Ethernet network connectivity.

"in terms of price and feature set, it's hard to beat StarTech's IES8100POE 8-port Power Over Ethernet Switch."
CRN

5 Port 10/100 Mbps Desktop Fast Ethernet Switch
DS51072

8 Port 10/100 Mbps Fast Ethernet Switch
DS81072

5 Port Unmanaged Industrial Ethernet Switch
IES5100

8 powered port 10/100 Mbps PoE Switch
IES8100POE

10/100 PoE Power over Ethernet Splitter 5V/12V
POESPLT100

POWER OVER ETHERNET

Description	Part Number
10/100 PoE Power over Ethernet Injector 48V/30W	POEINJ100
10/100 PoE Power over Ethernet Splitter 5V/12V	POESPLT100

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Networking I/O Products

Wireless Network Adapters & Range Extenders

StarTech.com wireless network adapters make it easy to add 802.11n Wi-Fi network access to your desktop or laptop computer.

WIRELESS

Speed	Type	Bus	Key Feature	Part Number
150 Mbps	802.11 n	USB 2.0	Desktop/Laptop; Mini	USB150WN1X1
300 Mbps	802.11 n	USB 2.0	Desktop/Laptop	USB300WN2X2
300 Mbps	802.11 n	USB 2.0	Dual Band / Dual Antenas	USB300WN2X2D
300 Mbps	802.11 n	PCI	Desktop; 2T2R	PCI300WN2X2
300 Mbps	802.11 n	PCI Express	Desktop; 2T2R	PEX300WN2X2

RANGE EXTENDERS

Speed	Type	Bus	Key Feature	Part Number
300 Mbps	802.11 n	Wall Plug	AP/Repeater/External	WFREPEAT300N

Modem, Bluetooth & Infrared Adapters

Add support for additional wireless protocols with our selection of adapters.

MODEM, BLUETOOTH & INFRARED ADAPTERS

Host System	Host	Peripheral	Key Features	Part Number
Desktop/Laptop	USB 2.0	RJ11	External 56K dialup Data/Fax modem	USB56KEM3
Desktop/Laptop	USB	Bluetooth 2.1	Connect to Class 1 EDR Bluetooth device	USBBT1EDR2
Desktop/Laptop	USB	Bluetooth 2.1	Connect to Class 2 EDR Bluetooth device	USBBT2EDR2
Desktop/Laptop	USB	Infrared IrDA	FIR/MIR/SIR/ASKIR; Range 1m (3.3ft)	USB2IR3

USB & PS/2 Devices

Our USB and PS/2 devices offer simple convenience through a Universal Serial Bus or PS/2 connection.

USB & PS/2 DEVICES

Host System	Host	Peripheral	Key Features	Part Number
Desktop/Laptop	USB 2.0	USB 2.0	PC to MAC File Transfers	PCMACLINK2
Desktop/Laptop	USB 2.0	USB 2.0	WIN XP to WIN Vista,7 or 8 Transfers	USB2LINK
Desktop	USB	PS2	Connect PS2 Keyboard & Mouse	USBPS2PC

Network Print Servers

Our network print servers make it easy to share a printer between many networked users, for improved efficiency and convenience.

LAPTOP/NOTEBOOK/DESKTOP

# of Ports	Type	Bus	Host Systems	Part Number
1 Port	10/100 Ethernet	Parallel	Desktop/Laptop	PM1115P
1 Port	10/100 Ethernet	USB 2.0	Desktop/Laptop	PM1115U

StarTech.com
Hard-to-find made easy®



KVM Switches

StarTech.com delivers great pricing and superb quality on a wide selection of KVM Switches and KVM-related products.

DESKTOP KVM SWITCHES

# of Ports	Input	Video	Audio	Features	Part Number
2 Ports	USB	VGA	Yes	USB 3.0 Hub	SV231U3A
2 Ports	USB	DisplayPort®	Yes	USB 3.0 Hub & 2560x1600	SV231DPU3A
2 Ports	USB	DVI	Yes	USB 3.0 Hub & 2560x1600	SV231DLU3A
2 Ports	USB	HDMI	Yes	USB 3.0 Hub	SV231HDU3A
2 Ports	USB	VGA	Yes	File Transfer & PIP	SV231UAF
2 Ports	USB	VGA	Yes	Kit with Cables	SV211KUSB
2 Ports	USB	VGA	No	Ultra compact on a cable	SV221NANOU
2 Ports	USB	DVI	Yes	Ultra compact on a cable	SV215MICDVIA
2 Ports	USB	DVI	Yes	Kit with Cables	SV211KDVI
2 Ports	USB	DisplayPort®	Yes	Professional Series	SV231DPUA
2 Ports	USB	DVI	Yes	High Resolution 2560x1600	SV231DVIUAHR
2 Ports	USB	DVI	Yes	USB 2.0 Hub	SV231DVIUA
2 Ports	USB	VGA	Yes	Ultra compact on a cable	SV215MICUSBA
2 Ports	USB	HDMI	Yes	USB 2.0 Hub	SV231HDMIUA
2 Ports	USB	DVI	Yes	USB 2.0 Hub	SV231UADVI
4 Ports	USB	VGA	Yes	Kit with Cables	SV411KUSB
4 Ports	USB	DisplayPort®	Yes	Professional Series	SV431DPUA
4 Ports	USB	DVI	Yes	High Resolution 2560x1600	SV431DVIUAHR
4 Ports	USB	DVI	Yes	USB 2.0 Hub	SV431DVIUA

2 Port VGA USB Cable KVM Switch
SV221NANOU

2 Port Dual Link DVI KVM w/ USB 3.0, Audio, Cables
SV231DLU3A

IP KVM SWITCHES

# of Ports	Simultaneous Users	Features	Part Number
1 Port	1	Virtual Media	SV1107IPEXT
4 Ports	1	Virtual Media + Serial, USB & PS/2	SV441DUSBI
8 Ports	1	Virtual Media + Serial, USB & PS/2	SV841DUSBI
8 Ports	1	Rackmount	SV841HDIE
16 Ports	1	Rackmount	SV1641HDIE
32 Ports	4 (Matrix)	Virtual Media + Serial, USB & PS/2	SV3253DXI

4 Port USB VGA IP KVM Switch with Virtual Media
SV441DUSBI

2 Port USB KM Switch with File Transfer

SVKMS

Control, and transfer files between 2 USB connected computers using a single keyboard and mouse



Use either keyboard/mouse to control both computers
Works between any 2 Windows computers

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Server Management Products

KVM Console to USB 2.0 Portable Laptop Crash Cart Adapter

NOTECONS01

With the NOTECONS01, your laptop quickly becomes a portable console allowing you to connect to and control any PC or headless server with a VGA and USB port.

"An unusual device that no data center administrator or field technician will want to leave home without... The CRN Test Center applauds StarTech... for thinking outside the box"
CRN



CRN TECH INNOVATOR AWARDS 2010 Runner-up

MULTI-MONITOR KVM SWITCHES

# of Ports	Input	Video	Audio	USB 2.0 Hub	Part Number
2 Ports	USB	DVI +DVI + DVI Triple Monitor	Yes	Yes	SV231TDVIUA
4 Ports	USB	DVI +DVI + DVI Triple Monitor	Yes	Yes	SV431TDVIUA
2 Ports	USB	DVI + DVI, Dual Monitor	Yes	Yes	SV231DD2DUA
2 Ports	USB	DVI + DVI + DVI + DVI, Quad Monitor	Yes	Yes	SV231QDVIUA
4 Ports	USB	DVI + DVI, Dual Monitor	Yes	Yes	SV431DD2DUA
2 Ports	USB	DisplayPort® + DisplayPort®, Dual Monitor	Yes	Yes	SV231DPDDUA
2 Ports	USB	VGA + DVI, Dual Monitor	Yes	Yes	SV231DDUSB

4 Port Dual DVI USB KVM Switch with Audio
SV431DD2DUA



2 Port Quad Monitor Dual-Link DVI USB KVM Switch with Audio & Hub

SV231QDVIUA

Switch between two Computers sharing four DVI displays, speakers & mic, USB Keyboard & Mouse, and USB 2.0 peripheral

RACKMOUNT KVM SWITCHES

# of Ports	Input	Video	Features	Part Number
4 Ports	USB	VGA	On Screen Display	SV431DUSBU
8 Ports	USB	VGA	OSD + Kit with Cables	SV831DUSBUK
8 Ports	USB	DVI		SV831DVIU
8 Ports	USB	VGA	On Screen Display	SV831DUSBU
8 Ports	USB	VGA	Audio	SV831DUSBAU
16 Ports	USB	VGA	On Screen Display	SV1631DUSBU
16 Ports	USB	VGA	OSD + Kit with Cables	SV1631DUSBUK

8 Port 1U Rack Mount USB VGA KVM Switch Kit
SV831DUSBUK

StarTech.com
Hard-to-find made easy®

Server Racks

A vast range of racks and cabinets to suit any installation, from a single desk or wall mounted network switch, to a new server farm. A multitude of heights, depths, weight capacities and colors.

2636CABINET
"StarTech has also done a great job engineering the cabinet, it's very well built and with casters it's easy to move about as needed"
STORAGE REVIEW.com

ENCLOSED SERVER RACKS AND CABINETS

42U 42in Deep Server Rack Cabinet
RK4242BK

Units	Mounting Depth	Capacity	Part Number
12U	36in	1760 lbs	RK1236BKF
15U	36in	2210 lbs	2636CABINET
22U	36in	1760 lbs	RK2236BKF
25U	36in	1760 lbs	RK2536BKF
41U	36in	2210 lbs	7236CABINET
42U	42in	2210 lbs	RK4242BK
42U	36in	2210 lbs	RK4236BK

OPEN-FRAME SERVER RACKS

36U Adjustable 4 Post Open Frame Server Rack
4POSTRACK36

Units	Mounting Depth	Capacity	Part Number
12U	25-36in	600 lbs	4POSTRACK12A
12U	19-36in	600 lbs	4POSTRACK12
25U	23-31in	1000 lbs	4POSTRACK25
36U	18-36in	1000 lbs	4POSTRACK36
42U	23-31in	1000 lbs	4POSTRACKBK
45U	36in	3300 lbs	4POSTRACKHD

VERTICAL WALLMOUNT SERVER RACKS

2U 19in Vertical Wall Mount Rack Bracket
RK219WALLV

Units	Mounting Depth	Capacity	Part Number
1U	Open	125 lbs	RK119WALLV
2U	Open	125 lbs	RK219WALLV
3U	Open	125 lbs	RK319WALLV
4U	Open	125 lbs	RK419WALLV

WALLMOUNT SERVER RACKS

8U 22in Hinged Wall Mount Open Frame Rack
RK819WALLOH

Units	Mounting Depth	Capacity	Part Number
2U	18in	62 lbs	RK219WALVO
4U	18in	62 lbs	RK419WALVO
6U	20in	150 lbs	RK619WALVS
6U	22in	110 lbs	RK619WALLOH
8U	12 - 20in	135 lbs	RK812WALLOA
8U	22in	140 lbs	RK819WALLOH
10U	18in	135 lbs	CAB1019WALL
12U	22in	140 lbs	RK1219WALLOH
12U	22in	350 lbs	RK1219SIDEM
12U	16in	135 lbs	RK1219WALHM
12U	16in	135 lbs	RK1219WALL

ENTRY LEVEL - RACKMOUNT LCD CONSOLES

1U 19" LCD Rack Console USB – Value Series
RACKCONV1901

# of Ports	Size	Part Number
1 Port	17in	RACKCONV1701
1 Port	19in	RACKCONV1901

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Server Management Products

PROFESSIONAL - RACKMOUNT LCD CONSOLES

1U 17in Rackmount LCD Console - 16 Port KVM
RACKCONS1716

# of Ports	Size	Features	Part Number
1 Port	17in	USB + PS/2	RACKCONS1701
1 Port	17in	Dual Rail + 1920x1080 Resolution	RACKCOND1701
1 Port	19in	USB + PS/2	RACKCONS1901
1 Port	20in	High Resolution 1600x1200	RACKCONS2001
8 Ports	17in	8 port KVM	RACKCONS1708
8 Ports	19in	8 port KVM	RACKCONS1908
16 Ports	17in	16 port KVM	RACKCONS1716
16 Ports	17in	16 port IP KVM	CABCONS1716I

Server Rack Accessories

BRACKETS

Type	Part Number
Universal VESA LCD Bracket	RKLCDBKT
Adjustable DIN Rail	ADJDINKIT
17" Deep Vented Server Room Wall shelf	WALLSHELF

LCD Server Rack Cabinet Mount Swivel Bracket
RKLCDBKT

DRAWERS

Type	Part Number
3U Locking	SH39LK
4U	4UDRAWER

4U Storage Drawer for 19in Server Racks
4UDRAWER

MOUNTING HARDWARE

Type	Part Number
M6 Screws and Cage Nuts - 100pc	CABSCREWM62
M6 Cage Nuts - 50pc	CABCAGENUTS6

100 Pkg M6 Rack Screws and Cage Nuts
CABSCREWM62

RAILS

Type	Part Number
1U Fixed Universal	UNIRAILS1U
2U Fixed Universal	UNIRAILS2U
3U Fixed Universal	UNIRAILS3U

2U Fixed 19" Universal Server Rack Rails
UNIRAILS2U

CABLE MANAGERS

Type	Part Number
1U 19in Cable Panel	CABLMANAGER2
30U Hinged Cover	CABLMANAGER3

1U 19in Rack Mount Cable Management Panel
CABLMANAGER2

SHELVES

Type	Part Number
Cantilever Shelf - 1U - 7"D - 33lbs capacity	CABSHELF1U
Cantilever Shelf - 2U - 15"D - 44lbs capacity	CABSHELF
Cantilever Shelf - 2U - 18"D - 125lbs capacity	CABSHELFHD
Cantilever Shelf - 2U - 22"D - 50lbs capacity	CABSHELF22
Cantilever Shelf - 2U - 22"D - 50lbs capacity - Vented	CABSHELF22V
Fixed 4 Post Shelf - 1U Adjustable Depth - 175lbs capacity - Vented	ADJSHELF
Fixed 4 Post Shelf - 1U Adjustable Depth - 175lbs capacity	ADJSHELFHD
Fixed 4 Post Shelf - 1U Adjustable Depth - 250lbs capacity - Vented	ADJSHELFHDV
Sliding Shelf - 1U - Adjustable Depth - Vented	UNISLDSHF19
2 Post Shelf - 2U - Mid Mount - 150lbs capacity	CABSHF2POST
2 Post Shelf - 2U - Mid Mount - 150lbs capacity - Vented	CABSHF2POSTV

1U Universal Sliding Server Rack Shelf
UNISLDSHF19

2U 22in Depth Vented Server Rack Shelf
CABSHELF22V

StarTech.com
Hard-to-find made easy®

KVM Extenders

Our KVM extenders offer control of remote KVM switches or individual servers and workstations - the ideal solution for optimized control of the server room, minimizing desktop footprints, or ensuring convenient access to secured environments.

KVM EXTENDERS

Distance	Description	Part Number
500ft	USB VGA KVM Console Extender over CAT5 UTP	SV565UTPU
500ft	USB PS2 KVM Console Extender Cat5 Extender	SV565UTP
650ft	USB Dual VGA over Cat5 KVM Console Extender	SV565DUTPU
1000ft	Long Range USB VGA KVM Console Extender over Cat5 UTP	SV565UTPUL
1000ft	USB VGA KVM Console Extender with Serial & Audio Over Cat5 UTP	SV565UTPUSA
1640ft	USB DVI KVM Console Extender with True USB 2.0 and Audio - 500m	SV565UTPDUA
6600ft	USB DVI KVM Console Extender with Serial & Audio Over MM Fiber - 2km	SV565FXDUSA

VGA USB KVM Console Extender over Cat5
SV565UTPUL

USB VGA KVM Console Extender with Serial & Audio Over Cat5 UTP
SV565UTPUSA

VGA, USB, Serial Speaker and Microphone Support at over 300 Meters



KVM Cables

High quality, tangle-free cables optimize the connections between your computers/servers and KVM/Matrix KVM switches.



KVM CABLES

x = Length

KVM Connectors	PC Connectors	Length	Part Number
USB + VGA	USB + VGA	6, 10, 15ft	SVUSB2N1_x
DB15	USB + VGA	6, 10, 15ft	SVECONUSx
USB + DVI + SPKR + MIC	USB + DVI + SPKR + MIC	6, 10, 15ft	DVID4N1USBx
USB + DisplayPort® + SPKR + MIC	USB + DisplayPort® + SPKR + MIC	6ft	DP4N1USB6

6 ft 2-in-1 USB KVM Cable
SVUSB2N1_6

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Server Management Products

Computer Parts

A complete selection of PC power supplies, fans and coolers, and PC accessories to replace, upgrade or repair current systems and components.

430 Watt 80Plus ATX 2.3 Power Supply
ATX2POWER430

550 Watt Professional ATX Power Supply
ATXPW550PRO2

USB Powered Laptop Cooler with Fan
NBCOOLER2

80x25mm Case Fan with 4-pin PWM connector
FAN8025PWM

11 Piece PC Computer Tool Kit with Carrying Case
CTK500

POWER SUPPLIES

Wattage	ATX 12V	Mb Support	Fan	Key Features	Part Number
250/300	1.3	20 pin	80mm	Aux 6 Pin	ATXPOWER250/ATXPOWER300
350/400/450	2.01	24 / 20 pin	80mm	Dual 12V	ATX2POWER350/ATX2POWER400/ATX2POWER450
430/530	2.3; EPS 2.91	24 / 20 pin	80mm	Dual 12V; 80PLUS; A/PFC	ATX2POWER430/ATX2POWER530
350/400	2.01	24 / 20 pin	80mm	Dual 12V; Dell ATX	ATXPW350DELL/ATXPW400DELL
300/350	1.3	20 pin	80mm	Nickel - Plated Case	ATXPOW300PRO/ATXPOW350PRO
400/450	2.01	24 / 20 pin	80mm	Dual 12V; Nickel - Plated Case	ATX2PW400PRO/ATX2PW450PRO
430/530	2.3; EPS 2.91	24 / 20 pin	80mm	Dual 12V; 80PLUS; A/PFC	ATX2PW430PRO/ATX2PW530PRO
500	2.01; EPS 2.92	24 / 20 pin	80mm	Dual 12V; 2xPCIe, 5 SATA	ATXPW500PRO2
550	2.01; EPS 2.92	24 / 20 pin	120mm	Dual 12V; 2xPCIe, 7 SATA	ATXPW550PRO2
630	2.3; EPS 2.91	24 / 20 pin	120mm	Dual 12V; 80PLUS; A/PFC	ATX2PW630PRO
400	2.01	24 / 20 pin	120mm	Dual 12V; Quad+1	ATX2POW400HS
255	1.3	20 pin	80mm	MicroATX	MICATXPOW255
230	1.3	AT	80mm	AT PC support	PS2POWER230

CPU COOLERS

Fan Size	Sockets	Processors	Key Features	Part Number
95mm	LGA 1156/1155	i3/i5/i7	PWM Control	FAN1156PWM
92mm	AM2 / 939 /940 / 754	AMD/K8 Family	Alum. HS; 1U Server version	FANK8AM2/FANK8AM21U
70/95mm	T/775	Core 2 Duo/P4/1U Dual	Aluminum / Copper HS (1U)	FAN775E/FAN7751U

NOTEBOOK COOLERS

Fans	Laptop Size	Color	Key Features	Part Number
4 x 60mm	Up to 15in	Black	Variable Speed fans	NBCOOLER
2 x 80mm	Up to 14in	Black	Ultralight weight	NBCOOLERLE
1 X 80mm	11 to 15in	Black	Metal Mesh base	NBCOOLER2

CASE/VIDEO/HARD DRIVE COOLING

Fan Size	Type	Fan/HS Type	Connectors/Key Features	Part Number
80/92/120 X 25mm	Case	DBB	PWM Control	FAN8025PWM/FAN9225PWM/FAN12025PWM
50 x 50 x 10/15mm	Case	DBB	LP4 3-pin fan connector	FAN5X1TX3/FAN5X15TX3
60 x 60 x 10/20/25mm	Case	DBB	3-pin fan connector	FAN6X1TX3/FAN6X2TX3/FAN6X25TX3H
70 x 70 x 10/15/25mm	Case	DBB	3-pin fan connector	FAN7X10TX3/FAN7X15TX3/FAN7X25TX3
80 x 80 x 25mm	Case	Ever Lubricate/DBB	LP4 or 3-pin fan connector	FANBOXSL/FANBOX/FAN8X25TX3L
92 x 92 x 25mm	Case	DBB	LP4 or 3-pin fan connector	FANBOX92/FAN9X25TX3L/FAN9X25TX3H
120 x 120 x 25mm	Case	DBB	LP4	FANBOX12
40mm	VGA Card	Copper	nVIDIA & ATI	FANUNIVGA
40 x 40 x 20mm	Hard Drive	BB	Triple & Dual Fans	FANDRIVEBK/FANDRIVE2BK

SYSTEM BUILD & REPAIR ACCESSORIES

Type	Description	Part Number
CPU Cooler Accessories	CPU Heatsink Thermal Paste	HEATGREASE20
CPU Cooler Accessories	Metal Oxide CPU Thermal Paste	SILVGREASE1
System Build & Repair	Toolkits	CTK100P/CTK200/CTK500
System Build & Repair	Screws, Fasteners & Nuts	SCREW6_32/SCREW4_40/SCREWMUT4_40/STANDOFF632
System Repair	Diagnostic Tools	PCIPOST/PSUTEST20
System Repair & PC Accessories	Anti-Static products	SWS100/M3013

StarTech.com
Hard-to-find made easy®

Hard Drive and USB Drive Duplicators

Our standalone drive duplicators make it easy to make exact duplicates or clones of hard drives and USB flash drives, as well as providing immediate access to drive data using eSATA, USB 2.0 and USB 3.0 connections.

eSATA/USB to SATA HDD Duplicator Dock
SATDUPUE

USB 2.0 1-to-2 Flash Drive Duplicator
USBDUP12

USB to IDE SATA Standalone Hard Drive Duplicator Dock
UNIDUPDOCK

USB 3.0 to SATA Hard Drive Duplicator
SATDOCK22RU3

Duplicate three hard drives simultaneously using SATDOCK4U3RE

"When it comes to being able to duplicate hard drives efficiently StarTech has been on the cutting edge of that technology... This dock is perfect if you are needing to make 3 exact copies of one hard drive without the need of a separate computer connection" the gadgeteer

Advantages:

- Sector by sector for exact duplication
- Added capability to connect to a PC to access / transfer data
- On-the-fly switching from duplicator to dock mode
- Duplication and access to both SATA and IDE hard drives

Why is it convenient?

- Standalone hard drive duplication without connection to PC
- No software required
- Easy setup
- Push button control

Applications

- Imaging / cloning hard drive for system building + deployment
- Data recovery
- Computer / Law forensics
- IT and Service technicians

eSATA/USB to SATA HDD Duplicator Dock
SATDOCK22RE

USB 2.0 1-to-2 Flash Drive Duplicator
USBDUP12

HARD DRIVE DUPLICATORS

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
SATA	2.5/3.5in	eSATA/USB 2.0	Black	Portable; 1:1 Clone	SATDUPUE
SATA	2.5/3.5in	USB 3.0	Black	1:1 Clone & USB 3 Dock	SATDOCK22RU3
SATA	2.5/3.5in	eSATA/USB 2.0	Black	1:1 Clone & Dual Dock	SATDOCK22RE
IDE/SATA	2.5/3.5in	USB 2.0	Black	IDE <-> SATA ; Quick Erase	UNIDUPDOCK
IDE/SATA	2.5/3.5in	eSATA/USB 3.0	Black	1:3 Clone; Secure Erase	SATDOCK4U3RE

USB DRIVE DUPLICATORS

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
USB 2.0	N/A	N/A	Black	Portable; 1:2 Clone	USBDUP12

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Hard Drive Accessories

Hard Drive Docking Stations

Our HDD docking stations offer simple, time-saving backup solutions or access to data stored on bare hard drives through USB 3.0/2.0, eSATA or both, without having to install the drive in a computer case or mount the drive in an enclosure.

4 Bay eSATA/USB 3.0 to SATA HDD Dock
SATDOCK4U3E

eSATA USB to SATA Hard Drive Docking Station with built-in fan
SATDOCKU3SEF

USB 2.0/eSATA to Dual SATA HDD Dock
SATADOCK22UE

USB 3.0/eSATA Hard Drive Docking Station
SATDOCKU3E

USB 3.0 to 2.5/3.5in SATA/IDE HDD Dock
UNIDOCK3U

UNIDOCK3U
"enormously useful products for the DIY-ITer."
ZDNet.

HARD DRIVE DOCKING STATIONS

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
SATA	2.5/3.5in	USB 3.0	Black	4 Bay Dock	SATDOCK4U3
SATA	2.5/3.5in	USB 3.0/eSATA	Black	4 Bay Dock	SATDOCK4U3E
IDE/SATA	2.5/3.5in	USB 3.0	Black	Insert Upright IDE HDD	UNIDOCK3U
IDE/SATA	2.5/3.5in	USB 2.0	Black & Silver	IDE + SATA HDD	UNIDOCK2U
SATA	2.5/3.5in	USB 3.0	Black	Dual Bay; USB 3.0	SATDOCK22U3S
SATA	2.5/3.5in	eSATA/USB 2.0	Black	Dual Bay Dock	SATADOCK22UE
SATA	2.5/3.5in	USB 3.0 / eSATA	Black	Compact; Vertical Bay	SATDOCKU3E
SATA	2.5/3.5in	USB 3.0	Black	Up to 5 Gbps	SATDOCKU3S
SATA	2.5/3.5in	USB 3.0/eSATA	Black	With Built-in Fan	SATDOCKU3SEF
SATA	2.5/3.5in	eSATA/USB 2.0	Black	Two interfaces	SATADOCKU2E
SATA	2.5/3.5in	USB 2.0	Black	Small Footprint	SATADOCKU2
SATA	2.5in	USB 2.0	Black	Pocket size	SATDOCK25U

SATA to 2.5in or 3.5in IDE Hard Drive Adapter for HDD Docks
SAT2IDEADP

Insert IDE hard drives in docks + duplicators using SAT2IDEADP

Don't waste time mounting and installing hard drives inside a drive enclosure or PC, when you need quick access to hard drive contents!



StarTech.com
Hard-to-find made easy®

External Hard Drive Enclosures

We offer a broad selection of external hard drive enclosures, which enable you to use the HDD you want as an external hard drive, ensuring maximum mobility, portability and performance. Find the storage solution you need for SATA or IDE hard drives, with host connections including eSATA, USB 2.0, FireWire and USB 3.0.

"people or organizations that want to protect confidential data will find valuable encryption features in a very sleek package."

CIO

4 Drive USB 3.0/eSATA RAID Enclosure
SAT3540U3ER

2 Bay USB 3.0 to SATA HDD RAID Enclosure
SAT3520U3SR

USB 3.0 to 3.5 SATA HDD Enclosure with Fan
SAT3510BU3

USB 3.0 to 2.5" SATA Enclosure with Encryption
S2510BU3PW

WiFi/USB 2.0 to 2.5" SATA HDD Enclosure
S2510U2WF

USB 2.0 to IDE/SATA HDD Enclosure
UNI3510U2

USB 3.0 to 3.5" SATA HDD Enclosure
SAT3510U3V

USB 3.0 to Dual SATA Trayless Enclosure
SAT3520U3R

EXTERNAL DRIVE ENCLOSURES - SINGLE/PORTABLE

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
SATA	1.8in	USB 2.0	Silver	Micro SATA HDD	SAT1810U2
IDE	2.5in	USB 2.0	Silver	Lightweight	IDE2510U2
IDE/SATA	2.5in	USB 2.0	Silver	Both HDD/Toolless	UNI2510U2V
SATA	2.5in	USB 2.0	Silver/Black	Lightweight	SAT2510U2/SAT2510BU2
SATA	2.5in	USB 2.0	Silver	Integrated Cable	SAT2510SCB
SATA	2.5in	eSATA/USB 2.0	Silver/Black	Up to 3 Gbps	SAT2510U2E/SAT2510BU2E
SATA	2.5in	1394a/ USB 2.0	Silver	FireWire	SAT2510U2F
SATA	2.5in	USB 3.0	Black	9.5 & 12mm HDD	SAT2510B12U3
SATA	2.5in	USB 3.0	Black	Up to 5 Gbps	SAT2510BU32
SATA	2.5in	WiFi/USB 2.0	Black	WiFi, External Enclosure + AP	S2510U2WF
SATA	3.5in	USB 3.0	Black	Touchpad Encryption; AES256-bit	S2510BU3PW

EXTERNAL DRIVE ENCLOSURES - SINGLE/DESKTOP

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
IDE	3.5in	USB 2.0	Black	Easy to Install	IDE3510U2
IDE/SATA	3.5in	USB 2.0	Black	Both HDD types	UNI3510U2
IDE/SATA	3.5in	eSATA/USB 2.0	Black	Both HDD types; 80mm Fan	UNI3510U2EB
SATA	3.5in	USB 2.0	Silver/Black	Small Footprint	SAT3510U2V/SAT3510BU2V
SATA	3.5in	eSATA/USB 2.0	Black	Removable HDD	SAT3510BU2E
SATA	3.5in	1394a/USB 2.0	Silver	FireWire	SAT3510U2F
SATA	3.5in	USB 3.0	Black	Up to 5 Gbps; 80mm Fan	SAT3510BU3
SATA	3.5in	USB 3.0	Silver	Up to 5 Gbps; Small footprint	SAT3510U3V
SATA	Slim CD/DVD	USB 2.0	Black	Slimline SATA Optical	SLMSOPTB

EXTERNAL DRIVE ENCLOSURES - MULTI BAY/DESKTOP

Drive Type	Drive Size	Connection	Colors	Key Features	Part Number
SATA	2.5in	eSATA/USB 2.0	Black	Dual; RAID 0, 1	S252U2ERR
SATA	3.5in	USB 3.0	Black	Dual; RAID 0, 1; Trayless Removable	SAT3520U3R
SATA	3.5in	USB 3.0	Black/Silver	Dual; RAID 0, 1,JBOD; Fixed	SAT3520U3SR
SATA	3.5in	eSATA/USB 2.0	Black	4 Bay: JBOD	SAT3540U2E
SATA	3.5in	1394a/b/eSATA/USB 2.0	Black	4 Bay; RAID 0, 1, 3, 5	S354UFER
SATA	3.5in	USB 3.0/eSATA	Black	4 Bay; RAID 0, 1, 3, 5	SAT3540U3ER

Scan to see our full selection of Hard Drive Accessories

Drive Adapters & Converters

Convert/adapt your hard drive or motherboard interface for optimal use and system data storage integration.

IDE to SATA Adapter Converter
PATA2SATA2

2.5in SATA to Mini SATA SSD Adapter Enclosure
SAT2MSAT25

DRIVE ADAPTERS & CONVERTERS

Host System	Host	Peripheral Connector	Key Features	Part Number
Desktop/Laptop	SATA	IDE HDD	Insert IDE 2.5/3.5in HDD Upright in Dock Bay	SAT2IDEADP
Desktop/Server	IDE	SATA HDD	Connect SATA HDD to IDE System	IDE2SAT
Desktop/Server	IDE	SATA HDD	Connect 2.5 or 3.5in SATA HDD	IDE2SAT25
Desktop/Server	IDE	SATA HDD	Connect 2 SATA HDD to IDE	PATA2SATA2
Desktop/Server	IDE/SATA	SATA HDD/IDE	Bi-Directional SATA:IDE or IDE:SATA	PATA2SATA3
Desktop/Server	USB 2.0	SATA or IDE HDD	Connect SATA or IDE HDD via USB	USB2SATAIDE
Desktop/Laptop	USB 3.0	eSATA	USB 3.0 to eSATA 2.5/3.5in	USB3S2ESATA
Desktop/Server	Internal USB	Slim SATA	Connect Slimline SATA Optical Drive	USB2SLSATINT
Desktop/Server	SATA	Slim IDE	Connect Slimline IDE Optical Drive	OPT2SATA
Desktop/Server	IDE	Slim IDE	Connect Slimline IDE Optical Drive	OPT2IDE
Desktop/Server	3.5in SATA	2.5in SATA/SAS	Converts 2.5in HDD/SSD to 3.5in Form Factor	25SATSAS35
Desktop/Laptop	2.5in SATA	Mini SATA SSD	2.5in Enclosure for mSATA SSD	SAT2MSAT25

Mobile Racks & Hard Drive Backplanes

Our hot-swappable mobile racks/HDD backplanes offer the ideal solution for dependable, convenient performance in removable storage solutions.

SATSAS425BK
"Most Useful Computer Accessory of This Year"
SOFTPEDIA

4 Drive Trayless 3.5in SATA Mobile Rack
HSB430SATBK

2.5 SATA HDD Bay for PCI Expansion Slot
S25SLOTR

BACKPLANES

Drive Type	Drive Size	Colors	Key Features	Part Number
SAS/SATA	2.5in	Black	4 Drive in Single 5.25in Bay	SATSASBAY425
SAS/SATA	2.5in	Black	4 Drive in 5.25in Bay; Mini-SAS SFF-8087	SATSAS425BK
SAS/SATA	2.5in	Black	2 x2.5in + Slim Optical; Mini-SAS SFF-8087	SATSAS225ODD
SAS/SATA	2.5/3.5in	Black	3 Drive; Both Sizes	SATSASBAY3BK
SATA	3.5in	Black	3/4 Drive; Trayless	HSB320SATBK/HSB430SATBK

MOBILE RACKS/DRIVE DRAWERS

Drive Type	Drive Size	Colors	Key Features	Part Number
SATA	3.5in	Black	Single; Trayless	HSB100SATBK
SATA	3.5in	Black	Single; Trayless with LCD & Fan	HSB110SATBK
SATA	2.5in	Black	Dual Drive; Trayless	HSB220SAT25B
SATA	2.5in	Black	Dual Drive; Trayless; UL Flamm. 94 VO	HSB225SATBK
SATA	2.5in	Black	PCI Slot based	S25SLOTR
IDE	3.5in	Black	Removable HDD Caddy	DRW110ATABK
IDE	3.5in	Black	All Aluminum, Rem Caddy; DBB Fans	DRW115ATABK
SATA	3.5in	Black	Removable HDD Caddy	DRW110SATBK
SATA	3.5in	Black	25K Insertion cycle	DRW150SATBK
SAS/SATA	3.5in	Black	25K Insertion cycle	DRW150SASBK
SATA	3.5in	Black	High Durability; Dual Fans	DRW115SATBK
SATA	2.5in	Black	Dual Use - Internal & External (USB 3.0); SAT2510U3S	SAT2510U3REM
SATA	2.5/3.5in	Black	Single 5.25in Bay Holds 1 of each Size	SATADOCK525

StarTech.com
Hard-to-find made easy®

Media Card Readers & Adapters

Flash media card formats such as SD cards, Compact Flash, MMC, and Memory Stick are a convenient way to transfer data to and from other devices such as mobile phones, digital cameras and digital video recorders, to a laptop or desktop computer.

3.5in Bay USB 2.0 Memory Card Reader
35FCREADBK2

FLASH CARD READERS

Host System	Bus/Interface	Type	Key Features	Part Number
Laptop	ExpressCard	Single Slot	12-in-1 SD/MMC/MS/MS Pro	ECREAD
Desktop/Laptop	USB 2.0	External Standalone	Silver, 14-in-1; Supports SDHC/CF/MS	FCREADHC
Desktop/Laptop	USB 2.0	External Standalone	Supports SDHC/XC/SD/MS	FCREADMICRO
Desktop	USB 2.0	3.5in Bay	9-in-1	35FCREADBK2
Desktop/Laptop	USB 3.0	External Standalone	14-in-1; Supports SDHC/XC/CF/MS/Mini SD	FCREADHCU3

SATA to Compact Flash SSD Adapter
SAT2CF

FLASH MEDIA INTERNAL ADAPTERS

Host System	Host	Peripheral Connector	Key Features	Part Number
Laptop	1.8 or 2.5in IDE	Compact Flash	Bootable SSD	CF2IDE18
Laptop	1.8 in Micro SATA	Compact Flash	Bootable SSD	CF2USAT18E
Laptop	2.5in IDE	Dual Compact Flash	Bootable SSD	CF2X2IDE25
Laptop	40/44 pin IDE	Compact Flash	Bootable SSD	IDE2CF
Laptop	40/44 pin IDE	Compact Flash	Bootable SSD; 3.5 in Bay	35BAYCF2IDE
Laptop	SATA	Compact Flash	Bootable SSD; 3.5 in Bay	35BAYCF2SAT
Laptop	1.8 in IDE	Compact Flash	Bootable SSD	IDE502CFE
Laptop	SATA	Compact Flash	Bootable SSD	SAT2CF
Laptop	1.8 ZIF/LIF	Compact Flash	Bootable SSD	ZIF2CF

Drive Mounting Brackets & Accessories

Our Drive Mounting Brackets and Accessories offer simple, convenient solutions for maximizing the effectiveness and space-efficiency of drive installations and storage.



2.5in Anti-Static Hard Drive Protector Case
HDDCASE25BL

DRIVE MOUNTING BRACKETS & ACCESSORIES

x = Length

Description	Part Number
3.5in Universal Hard Drive Mounting Bracket for 5.25in Bay	BRACKET
2.5in IDE/SATA Hard Drive to 3.5in Bay Mounting Kit	BRACKET25/BRACKET25SAT
3.5in Hard Drive to 5.25in Front Bay Bracket	BRACKETFDBK
Dual 2.5in to Single 3.5in SATA/IDE Hard Drive Mounting Kit	SATA35252X
2.5in/3.5in Silicon Hard Drive Protector Sleeves with Connector Caps	HDDSLEV25/HDDSLEV35
2.5-inch Anti-Static Hard Drive Protector Cases (3 Pack)*	HDDCASE25xx

**Available in Black(BK), Blue(BL), Green(GN), Orange(OR), Yellow(YW), White (WH)*

Talk to a Tech Advisor
PHONE
1-800-265-1844
LIVE CHAT
www.startech.com/chat

Scan to see our full selection of Hard Drive Accessories

Connectors at a Glance

A visual glossary of today's newest and most popular connectors.

Display Connectors



DisplayPort® (20 pin)
Enables a computer to be connected to high-resolution monitors/projectors

Mini DisplayPort® (20 pin)
Enables a computer to be connected to a high-resolution monitor/projector



HDMI (19 pin)
Enables computers to be connected to HDTVs, high-resolution monitors and projectors



Mini-HDMI (19 pin)
Enables digital cameras, tablets & video cameras to be connected to HDTVs and monitors

Micro-HDMI (19 pin)
Enables smart phones and tablets to be connected to HDTVs and monitors



VGA (High Density DB-15; 15 pin)
Enables a computer to be connected to a monitor/projector



Analog & Digital

DVI-I (Dual Link - 29 pin)
Enables a computer to be connected to either an analog or digital monitor/projector



Digital only

DVI-D (Dual Link - 24 pin)
Enables a computer to be connected to a high-resolution monitor/projector



DMS-59 (59)
Enables two different displays to be connected to a single video output

I/O Connectors



USB 3.0 A (9 pin; SuperSpeed)
Enables USB 3.0 devices (external hard drive, display adapters, hubs, etc.) to be connected to a computer

USB 3.0 B (9 pin; SuperSpeed)
Used for connecting USB 3.0 devices (external hard drive, hubs etc.) to a computer

10 Pin USB 3.0 Micro B
Used for connecting USB 3.0 devices (external hard drive, display adapters, hubs, etc.) to a computer



USB 2.0 A (4pin; HighSpeed)
Enables USB 2.0 devices (external hard drive, display adapters, hubs, mice, keyboards, etc.) to be connected to a computer

USB 2.0 B
Used for connecting USB 2.0 devices (external hard drive, hubs etc.) to a computer



RJ-45 Ethernet
Enables a computer to connect to an Ethernet network using an RJ-45 terminated cable



USB 2.0 Mini B
Used for connecting USB 2.0 devices (external hard drive, phones, hubs, etc.) to a computer



USB 2.0 Micro B
Used for connecting USB 2.0 devices (external hard drive, phones, etc.) to a computer

eSATA (7 pin)
Enables external hard drive enclosures to be connected to a computer



FireWire 800 (IEEE 1394b; 9pin)
Enables an external hard drive and video equipment to be connected to a computer

ExpressCard (Laptop Card)
Adds I/O ports for connecting a laptop to devices such as USB 3.0/2.0, FireWire, Serial peripherals

CardBus/PCMCIA/PC Laptop Card
Adds I/O ports for connecting an older laptop to devices such as USB 2.0, FireWire, Serial peripherals

3.5mm Stereo Audio (3 Position)
Enables headphones to be connected to a computer

PS/2 (Mini-DIN -6 pin)
Enables legacy keyboards and mice to be connected to a computer



DB-9 (D-Sub - 9pin)
Enables a computer to be connected to legacy serial devices such as bar code scanners, modems, printers, etc.

For a complete list of all connectors available go to:
www.startech.com/conxit/glossary

StarTech.com
Hard-to-find made easy®

New and Hard-to-Find Parts

Ideal for Ultrabooks

USB 3.0 to DVI Video Adapter with USB Hub

USB32DVIEH

Connect a DVI display through USB 3.0 without reducing the number of available USB 3.0 ports.

See our full line of USB Video Adapters on **page 6**

"people or organizations that want to protect confidential data will find valuable encryption features in a very sleek package."
CIO

USB 3.0 to 2.5" SATA Enclosure with Encryption

S2510BU3PW

Turn a 2.5" SATA Hard Drive or Solid State Drive into secured external storage with touchpad password entry.

See our full line of External Hard Drive Enclosures on **page 42**

2-in-1 Apple Dock/ Micro USB cable
"So many options! Just one cable!"
Macworld

Dock Connector to USB Combo Cable

USB2UBADC1M

Sync your Micro USB, iPhone®, iPod® or iPad® devices using a single cable.

See our full line of Apple Dock Connectors on **page 20**

USB 3.0 Gigabit Ethernet Adapter
A Product of the Week
"provides greater bandwidth for your network connections"
NETWORKWORLD

USB 3.0 to Gigabit Ethernet Adapter

USB31000S

Add Gigabit Ethernet network connectivity to a Laptop or Desktop through a USB 3.0 port.

See our full line of Network Adapter Cards on **page 32**

"lets users wirelessly transmit 1080p video and 7.1 digital audio from an HDMI source device to an HD display or projector up to 100 feet away."
TWICE

1 Port High Speed HD Wireless Extender

ST121WHD

Wirelessly extend a single HD audio/video signal up to 30m (100ft).

See our full line of Video Extenders on **page 8**

Distributed by:

INGRAM MICRO® D&H SYNNEX CORPORATION Tech Data ASI

StarTech.com
Hard-to-find made easy®